

Elongin A Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP1918a

Specification

Elongin A Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	O14241
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	87230
Antigen Region	97-127

Elongin A Antibody (N-term) - Additional Information

Gene ID 6924

Other Names

Transcription elongation factor B polypeptide 3, Elongin 110 kDa subunit, Elongin-A, EloA, RNA polymerase II transcription factor SIII subunit A1, SIII p110, TCEB3

Target/Specificity

This Elongin A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 97-127 amino acids from the N-terminal region of human Elongin A.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Elongin A Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Elongin A Antibody (N-term) - Protein Information

Name ELOA ([HGNC:11620](#))

Synonyms TCEB3

Function SIII, also known as elongin, is a general transcription elongation factor that increases the RNA polymerase II transcription elongation past template-encoded arresting sites. Subunit A is transcriptionally active and its transcription activity is strongly enhanced by binding to the dimeric complex of the SIII regulatory subunits B and C (elongin BC complex).

Cellular Location


Nucleus. Note=Localizes to sites of DNA damage.

Elongin A Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Elongin A Antibody (N-term) - Images



Western blot analysis of Elongin A (arrow) using rabbit polyclonal Elongin A Antibody (Cat. #AP1918a). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the Elongin A gene.



Elongin A Antibody (Cat. #AP1918a) western blot analysis in mouse NIH-3T3 cell line lysates (35ug/lane). This demonstrates the Elongin A antibody detected the Elongin A protein (arrow).

Elongin A Antibody (N-term) - Background

Elongin A is a subunit of the transcription factor B (SIII) complex. The SIII complex is composed of elongins A/A2, B and C. It activates elongation by RNA polymerase II by suppressing transient pausing of the polymerase at many sites within transcription units. Elongin A functions as the transcriptionally active component of the SIII complex, whereas elongins B and C are regulatory subunits. Elongin A2 is specifically expressed in the testis, and capable of forming a stable complex with elongins B and C. The von Hippel-Lindau tumor suppressor protein binds to elongins B and C, and thereby inhibits transcription elongation.

Elongin A Antibody (N-term) - References

- Beausoleil, S.A., et al., Proc. Natl. Acad. Sci. U.S.A. 101(33):12130-12135 (2004).
- Tamura, K., et al., Biochem. Biophys. Res. Commun. 309(1):189-195 (2003).
- Kile, B.T., et al., Trends Biochem. Sci. 27(5):235-241 (2002).
- Yamazaki, K., et al., J. Biol. Chem. 277(29):26444-26451 (2002).
- Kamura, T., et al., J. Biol. Chem. 276(32):29748-29753 (2001).