

HMOX2 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP19328a

Specification

HMOX2 Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	P30519
Other Accession	P23711 , 070252 , Q2PG53 , NP_002125.3
Reactivity	Human
Predicted	Monkey, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	36033
Antigen Region	24-52

HMOX2 Antibody (N-term) - Additional Information

Gene ID 3163

Other Names

Heme oxygenase 2, HO-2, HMOX2, HO2

Target/Specificity

This HMOX2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 24-52 amino acids from the N-terminal region of human HMOX2.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

HMOX2 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

HMOX2 Antibody (N-term) - Protein Information

Name HMOX2

Synonyms HO2

Function [Heme oxygenase 2]: Catalyzes the oxidative cleavage of heme at the alpha-methene bridge carbon, released as carbon monoxide (CO), to generate biliverdin IXalpha, while releasing the central heme iron chelate as ferrous iron.

Cellular Location


Microsome membrane; Single-pass type IV membrane protein; Cytoplasmic side
{ECO:0000250|UniProtKB:P09601}. Endoplasmic reticulum membrane
{ECO:0000250|UniProtKB:P09601}; Single-pass type IV membrane protein; Cytoplasmic side
{ECO:0000250|UniProtKB:P09601}

HMOX2 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

HMOX2 Antibody (N-term) - Images



HMOX2 Antibody (N-term)(Cat. #AP19328a) western blot analysis in Jurkat cell line lysates (35ug/lane). This demonstrates the HMOX2 antibody detected the HMOX2 protein (arrow).

HMOX2 Antibody (N-term) - Background

Heme oxygenase, an essential enzyme in heme catabolism, cleaves heme to form biliverdin, which is subsequently converted to bilirubin by biliverdin reductase, and carbon monoxide, a putative neurotransmitter. Heme oxygenase activity is induced by its substrate heme and by various nonheme substances. Heme oxygenase occurs as 2 isozymes, an inducible heme oxygenase-1 and a constitutive heme oxygenase-2. HMOX1 and HMOX2 belong to the heme oxygenase family. Alternative splice variants encoding the same

protein have been identified at this locus.

HMOX2 Antibody (N-term) - References

Abdel Aziz, M.T., et al. Andrologia 42(4):236-241(2010)
Wang, Y., et al. J. Hum. Genet. 55(8):490-494(2010)
He, J.Z., et al. J. Biol. Chem. 285(13):9452-9461(2010)
Zhong, J.L., et al. Free Radic. Biol. Med. 48(2):196-206(2010)
Yun, L., et al. Clin. Exp. Hypertens. 31(7):534-543(2009)