

### HMOX2 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP19328a

### Specification

# HMOX2 Antibody (N-term) - Product Information

Application Primary Accession Other Accession Reactivity Predicted Host Clonality Isotype Calculated MW Antigen Region WB,E <u>P30519</u> <u>P23711, 070252, 02PG53, NP\_002125.3</u> Human Monkey, Mouse, Rat Rabbit Polyclonal Rabbit IgG 36033 24-52

### HMOX2 Antibody (N-term) - Additional Information

Gene ID 3163

Other Names Heme oxygenase 2, HO-2, HMOX2, HO2

Target/Specificity

This HMOX2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 24-52 amino acids from the N-terminal region of human HMOX2.

**Dilution** WB~~1:1000 E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions** HMOX2 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

# HMOX2 Antibody (N-term) - Protein Information

Name HMOX2



# Synonyms HO2

**Function** [Heme oxygenase 2]: Catalyzes the oxidative cleavage of heme at the alpha-methene bridge carbon, released as carbon monoxide (CO), to generate biliverdin IXalpha, while releasing the central heme iron chelate as ferrous iron.


Cellular Location Microsome membrane; Single-pass type IV membrane protein; Cytoplasmic side {ECO:0000250|UniProtKB:P09601}. Endoplasmic reticulum membrane {ECO:0000250|UniProtKB:P09601}; Single-pass type IV membrane protein; Cytoplasmic side {ECO:0000250|UniProtKB:P09601}

# HMOX2 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

#### HMOX2 Antibody (N-term) - Images



HMOX2 Antibody (N-term)(Cat. #AP19328a) western blot analysis in Jurkat cell line lysates (35ug/lane).This demonstrates the HMOX2 antibody detected the HMOX2 protein (arrow).

### HMOX2 Antibody (N-term) - Background

Heme oxygenase, an essential enzyme in heme catabolism, cleaves heme to form biliverdin, which is subsequently converted to bilirubin by biliverdin reductase, and carbon monoxide, a putative neurotransmitter. Heme oxygenase activity is induced by its substrate heme and by various nonheme substances. Heme oxygenase occurs as 2 isozymes, an inducible heme oxygenase-1 and a constitutive heme oxygenase-2. HMOX1 and HMOX2 belong to the heme oxygenase family. Alternative splice variants encoding the same



protein have been identified at this locus.

### HMOX2 Antibody (N-term) - References

Abdel Aziz, M.T., et al. Andrologia 42(4):236-241(2010) Wang, Y., et al. J. Hum. Genet. 55(8):490-494(2010) He, J.Z., et al. J. Biol. Chem. 285(13):9452-9461(2010) Zhong, J.L., et al. Free Radic. Biol. Med. 48(2):196-206(2010) Yun, L., et al. Clin. Exp. Hypertens. 31(7):534-543(2009)