

TBC1D3F Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP19346c**Specification**

TBC1D3F Antibody (Center) - Product Information

Application	WB,E
Primary Accession	A6NER0
Other Accession	B9A6J9 , A0A087X1G2 , A0A087WXS9 , P0C7X1 , Q6DHY5 , A0A087X179 , A0A087WVF3 , Q6IPX1 , A6NDS4 , Q8IZP1 , NP_115634.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	62185
Antigen Region	318-346

TBC1D3F Antibody (Center) - Additional Information**Gene ID** 84218**Other Names**

TBC1 domain family member 3F, TBC1D3F, TBC1D3E

Target/Specificity

This TBC1D3F antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 318-346 amino acids from the Central region of human TBC1D3F.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TBC1D3F Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

TBC1D3F Antibody (Center) - Protein Information**Name** TBC1D3F

Synonyms TBC1D3E

Function Acts as a GTPase activating protein for RAB5. Does not act on RAB4 or RAB11 (By similarity).

Cellular Location

Cell membrane; Lipid-anchor. Note=Associated with lipid rafts.


Tissue Location

Expressed in most tissues including pancreas, thymus and testis.

TBC1D3F Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TBC1D3F Antibody (Center) - Images

TBC1D3F Antibody (Center)(Cat. #AP19346c) western blot analysis in HepG2 cell line lysates (35ug/lane). This demonstrates the TBC1D3F antibody detected the TBC1D3F protein (arrow).

TBC1D3F Antibody (Center) - Background

TBC1D3E acts as a GTPase activating protein for RAB5. Does not act on RAB4 or RAB11 (By similarity).

TBC1D3F Antibody (Center) - References

- Ishibashi, K., et al. Genes Cells 14(1):41-52(2009)
Hodzic, D., et al. Genomics 88(6):731-736(2006)
Zody, M.C., et al. Nature 440(7087):1045-1049(2006)
Pei, L., et al. Cancer Res. 62(19):5420-5424(2002)

Onno, M., et al. Gene 131(2):209-215(1993)