

KCNIP2 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP19353a**Specification**

KCNIP2 Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	O9NS61
Other Accession	NP_055406.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	30907
Antigen Region	50-78

KCNIP2 Antibody (N-term) - Additional Information**Gene ID** 30819**Other Names**

Kv channel-interacting protein 2, KChIP2, A-type potassium channel modulatory protein 2, Cardiac voltage-gated potassium channel modulatory subunit, Potassium channel-interacting protein 2, KCNIP2, KCHIP2

Target/Specificity

This KCNIP2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 50-78 amino acids from the N-terminal region of human KCNIP2.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

KCNIP2 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

KCNIP2 Antibody (N-term) - Protein Information**Name** KCNIP2 ([HGNC:15522](#))

Function Regulatory subunit of Kv4/D (Shal)-type voltage-gated rapidly inactivating A-type potassium channels (PubMed:[10676964](#), PubMed:[11287421](#), PubMed:[11684073](#), PubMed:[12297301](#), PubMed:[14623880](#), PubMed:[34997220](#)). Modulates channel density, inactivation kinetics and rate of recovery from inactivation in a calcium-dependent and isoform-specific manner (PubMed:[10676964](#), PubMed:[11287421](#), PubMed:[11684073](#), PubMed:[12297301](#), PubMed:[14623880](#), PubMed:[34997220](#)). Involved in KCND2 and KCND3 trafficking to the cell surface (PubMed:[12829703](#)). May be required for the expression of I(To) currents in the heart (By similarity).

Cellular Location

[Isoform 1]: Cell membrane {ECO:0000250|UniProtKB:Q9JM59}; Lipid-anchor {ECO:0000250|UniProtKB:Q9JM59}. Note=Detected on lipid rafts (By similarity). {ECO:0000250|UniProtKB:Q9JM59} [Isoform 6]: Cell membrane {ECO:0000250|UniProtKB:Q9JM59}; Lipid-anchor {ECO:0000250|UniProtKB:Q9JM59}

Tissue Location


Expressed in brain. Colocalizes with KCND2 in excitatory neurons including cortical and hippocampal CA1 pyramidal cells. Isoform 3 is expressed in heart and in umbilical vein endothelial cells. Not expressed in fetal heart

KCNIP2 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

KCNIP2 Antibody (N-term) - Images



KCNIP2 Antibody (N-term)(Cat. #AP19353a) western blot analysis in MDA-MB453 cell line lysates (35ug/lane). This demonstrates the KCNIP2 antibody detected the KCNIP2 protein (arrow).

KCNIP2 Antibody (N-term) - Background

This gene encodes a member of the family of voltage-gated potassium (Kv) channel-interacting proteins (KCNIPs), which belongs to the recoverin branch of the EF-hand superfamily. Members of the KCNIP family are small calcium binding proteins. They all have EF-hand-like domains, and differ from each other in the N-terminus. They are integral subunit components of native Kv4 channel complexes. They may regulate A-type currents, and hence neuronal excitability, in response to changes in intracellular calcium. Multiple alternatively spliced transcript variants encoding distinct isoforms have been identified from this gene. [provided by RefSeq].

KCNIP2 Antibody (N-term) - References

Foeger, N.C., et al. J. Biol. Chem. 285(43):33413-33422(2010)
Lundby, A., et al. Br. J. Pharmacol. 160(8):2028-2044(2010)
Levy, D.I., et al. J. Physiol. (Lond.) 588 (PT 14), 2657-2668 (2010) :
Cotella, D., et al. Pflugers Arch. 460(1):87-97(2010)
Tan, X.Q., et al. Zhonghua Xin Xue Guan Bing Za Zhi 37(6):509-513(2009)