

CDH26 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP19914B

Specification

CDH26 Antibody (C-term) - Product Information

WB,E Application **08IXH8 Primary Accession** Other Accession NP 068582.2 Reactivity Human Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 92416 Antigen Region 818-846

CDH26 Antibody (C-term) - Additional Information

Gene ID 60437

Other Names

Cadherin-like protein 26, Cadherin-like protein VR20, CDH26

Target/Specificity

This CDH26 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 818-846 amino acids from the C-terminal region of human CDH26.

Dilution

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.


Precautions

CDH26 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

CDH26 Antibody (C-term) - Protein Information

Name CDH26

Function Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact





Tel: 858.875.1900 Fax: 858.875.1999

with themselves in a homophilic manner in connecting cells; cadherins may thus contribute to the sorting of heterogeneous cell types. Ligand for integrins alpha-E/beta-7, ITGAE:ITGAB7, alpha-4/beta-7, ITGA4:ITGAB7 and alpha-4/beta-1, ITGA4:ITGAB1 through which modulates CD4(+) T cells activation (PubMed:28051089).

Cellular Location

Cell membrane; Single-pass type I membrane protein

Tissue Location


Expressed by epithelial cells of gastrointestinal tissue.

CDH26 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


CDH26 Antibody (C-term) - Images



CDH26 Antibody (C-term) (Cat. #AP19914b) western blot analysis in 293 cell line lysates (35ug/lane). This demonstrates the CDH26 antibody detected the CDH26 protein (arrow).

CDH26 Antibody (C-term) - Background

Cadherins are a family of adhesion molecules that mediate Ca2+-dependent cell-cell adhesion in all solid tissues and modulate a wide variety of processes, including cell polarization and migration. Cadherin domains occur as repeats in the extracellular region and are thought to contribute to the sorting of heterogeneous cell types and the maintenance of orderly structures such as epithelium. This gene encodes a cadherin domain-containing protein whose specific function has not yet been determined.





Alternative splicing occurs at this locus and two transcript variants, encoding distinct proteins, have been identified.

CDH26 Antibody (C-term) - References

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010): Ferreira, M.A., et al. Allergy 64(11):1623-1628(2009) Deloukas, P., et al. Nature 414(6866):865-871(2001) Nollet, F., et al. J. Mol. Biol. 299(3):551-572(2000)