

**(DANRE) gabarapa Antibody (N-Term)**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP21286a**

## **Specification**

---

### **(DANRE) gabarapa Antibody (N-Term) - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | WB,E                   |
| Primary Accession | <a href="#">Q6PSS4</a> |
| Reactivity        | Zebrafish              |
| Host              | Rabbit                 |
| Clonality         | polyclonal             |
| Isotype           | Rabbit IgG             |
| Antigen Region    | 33-66                  |

### **(DANRE) gabarapa Antibody (N-Term) - Additional Information**

#### **Target/Specificity**

This DANRE gabarapa antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 33-66 amino acids from the human region of DANRE gabarapa.

#### **Dilution**

WB~~1:500

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### **Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

(DANRE) gabarapa Antibody (N-Term) is for research use only and not for use in diagnostic or therapeutic procedures.


### **(DANRE) gabarapa Antibody (N-Term) - Protein Information**

### **(DANRE) gabarapa Antibody (N-Term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)

- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**(DANRE) gabarapa Antibody (N-Term) - Images**

Anti-gabarapa Antibody (N-Term) at 1:500 dilution + zebrafish lysates. Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 14 kDa. Blocking/Dilution buffer: 5% NFDM/TBST.