

(DANRE) map1lc3b Antibody (N-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP21296a

Specification

(DANRE) map1lc3b Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	Q7ZUD8
Reactivity	Mouse
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Antigen Region	16-50

(DANRE) map1lc3b Antibody (N-term) - Additional Information

Target/Specificity

This DANRE map1lc3b antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 16-50 amino acids from the N-terminal region of DANRE map1lc3b.

Dilution

WB~~1:2000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

(DANRE) map1lc3b Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

(DANRE) map1lc3b Antibody (N-term) - Protein Information


(DANRE) map1lc3b Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

(DANRE) map1lc3b Antibody (N-term) - Images



Anti-map1lc3b Antibody (N-term) at 1:2000 dilution + mouse brain lysates. Lysates/proteins at 20 μ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 15 kDa. Blocking/Dilution buffer: 5% NFDM/TBST.