

Zebrafish pou5f1 Antibody (Center)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP21659c

Specification

Zebrafish pou5f1 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	<u>090270</u>
Reactivity	Zebrafish
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Calculated MW	51505
Antigen Region	107-132

Zebrafish pou5f1 Antibody (Center) - Additional Information

Gene ID 30333

Other Names POU domain, class 5, transcription factor 1, POU domain protein 2, pou5f1, gp-9, pou-2, pou2

Target/Specificity This Zebrafish pou5f1 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 107-132 amino acids from the Central region of Zebrafish pou5f1.

Dilution WB~~1:2000 E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Zebrafish pou5f1 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

Zebrafish pou5f1 Antibody (Center) - Protein Information

Name pou5f1

Synonyms gp-9, pou-2, pou2



Function Involved in early development of embryos, especially in the process of gastrulation. May play an important role in establishing and specifying rhombomeric segments. Seems to be required to maintain the cells in a highly undifferentiated state. In contrast to POU2, T-POU2 lacks DNA-binding activity because of its incomplete pou domain structure. Overexpression of POU2 does not have any effect on development, whereas overexpression of t-POU2 causes developmental retardation or arrest before gastrulation.

Cellular Location Nucleus.

Zebrafish pou5f1 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Zebrafish pou5f1 Antibody (Center) - Images



Anti-Zebrafish pou5f1 Antibody (Center) at 1:2000 dilution + zebrafish muscle lysate Lysates/proteins at 20 μ g per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 52 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

Zebrafish pou5f1 Antibody (Center) - Background

Involved in early development of embryos, especially in the process of gastrulation. May play an important role in establishing and specifying rhombomeric segments. Seems to be required to maintain the cells in a highly undifferentiated state. In contrast to POU2, T-POU2 lacks DNA-binding activity because of its incomplete pou domain structure. Overexpression of POU2 does not have any effect on development, whereas overexpression of t- POU2 causes developmental retardation or arrest before gastrulation.



Zebrafish pou5f1 Antibody (Center) - References

Takeda H., et al. Genes Dev. 8:45-59(1994). Hauptmann G., et al. Mech. Dev. 51:127-138(1995).