

SHOX Antibody (N-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP21698a**Specification**

SHOX Antibody (N-term) - Product Information

Application	WB,E
Primary Accession	O15266
Reactivity	Human
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG
Calculated MW	32236

SHOX Antibody (N-term) - Additional Information**Gene ID** 6473**Other Names**

Short stature homeobox protein, Pseudoautosomal homeobox-containing osteogenic protein, Short stature homeobox-containing protein, SHOX, PHOG

Target/Specificity

This SHOX antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 4-38 amino acids from the N-terminal region of human SHOX.

Dilution

WB~~1:2000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SHOX Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

SHOX Antibody (N-term) - Protein Information**Name** SHOX**Synonyms** PHOG

Function Controls fundamental aspects of growth and development.

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00108, ECO:0000255|PROSITE-ProRule:PRU00138}

Tissue Location


SHOXA is expressed in skeletal muscle, placenta, pancreas, heart and bone marrow fibroblast and SHOXB is highly expressed in bone marrow fibroblast followed by kidney and skeletal muscle. SHOXB is not expressed in brain, kidney, liver and lung. Highly expressed in osteogenic cells

SHOX Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SHOX Antibody (N-term) - Images



All lanes : Anti-SHOX Antibody (N-term) at 1:2000 dilution Lane 1: 293T/17 whole cell lysate Lane 2: human pancreas lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 32 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

SHOX Antibody (N-term) - Background

Controls fundamental aspects of growth and development.

SHOX Antibody (N-term) - References

Rao E.,et al.Nat. Genet. 16:54-63(1997).

Ellison J.W.,et al.Hum. Mol. Genet. 6:1341-1347(1997).
Ross M.T.,et al.Nature 434:325-337(2005).
Grigelioniene G.,et al.Hum. Genet. 107:145-149(2000).
Cormier-Daire V.,et al.Am. J. Med. Genet. 106:272-274(2001).