

### ZFP2 Antibody (C-Term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP21783b

### Specification

# ZFP2 Antibody (C-Term) - Product Information

| Application       | WB,E          |
|-------------------|---------------|
| Primary Accession | <u>Q6ZN57</u> |
| Reactivity        | Human         |
| Host              | Rabbit        |
| Clonality         | polyclonal    |
| Isotype           | Rabbit IgG    |
| Calculated MW     | 52740         |

### ZFP2 Antibody (C-Term) - Additional Information

#### Gene ID 80108

**Other Names** Zinc finger protein 2 homolog, Zfp-2, Zinc finger protein 751, ZFP2, ZNF751

Target/Specificity

This ZFP2 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 379-411 amino acids from human ZFP2.

Dilution WB~~1:2000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZFP2 Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

#### ZFP2 Antibody (C-Term) - Protein Information

Name ZFP2

Synonyms ZNF751

**Function** Probable transcription factor involved in neuronal differentiation and/or phenotypic maintenance.




**Cellular Location** Nucleus.

## ZFP2 Antibody (C-Term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

## ZFP2 Antibody (C-Term) - Images



All lanes : Anti-ZFP2 Antibody (C-Term) at 1:2000 dilution Lane 1: HepG2 whole cell lysate Lane 2: Hela whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 53 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

#### ZFP2 Antibody (C-Term) - Background

Probable transcription factor involved in neuronal differentiation and/or phenotypic maintenance.

## ZFP2 Antibody (C-Term) - References

Ota T., et al. Nat. Genet. 36:40-45(2004).