

ERVK-9 Antibody (C-Term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP21916b**Specification**

ERVK-9 Antibody (C-Term) - Product Information

Application	WB,E
Primary Accession	Q9UKH3
Other Accession	Q902F9 , Q71037 , P61565 , P61566 , Q69384 , P61567 , Q902F8 , P63135
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	polyclonal
Isotype	Rabbit IgG

ERVK-9 Antibody (C-Term) - Additional Information**Other Names**

Endogenous retrovirus group K member 9 Env polyprotein, EnvK4 protein, Envelope polyprotein, HERV-K(C6) envelope protein, HERV-K109 envelope protein, HERV-K_6q14.1 provirus ancestral Env polyprotein, Surface protein, SU, Transmembrane protein, TM, ERVK-9

Target/Specificity

This ERVK-9 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 636-669 amino acids from human ERVK-9.

Dilution

WB~~1:2000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ERVK-9 Antibody (C-Term) is for research use only and not for use in diagnostic or therapeutic procedures.

ERVK-9 Antibody (C-Term) - Protein Information

Name ERVK-9

Function Retroviral envelope proteins mediate receptor recognition and membrane fusion during

early infection. Endogenous envelope proteins may have kept, lost or modified their original function during evolution. This endogenous envelope protein has lost its original fusogenic properties.

Cellular Location


[Transmembrane protein]: Cell membrane; Single-pass type I membrane protein [Endogenous retrovirus group K member 9 Env polyprotein]: Virion

ERVK-9 Antibody (C-Term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ERVK-9 Antibody (C-Term) - Images



Anti-ERVK-9 Antibody (C-Term) at dilution + ZR-75-1 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 79kDa Blocking/Dilution buffer: 5% NFDm/TBST.

ERVK-9 Antibody (C-Term) - Background

Retroviral envelope proteins mediate receptor recognition and membrane fusion during early infection. Endogenous envelope proteins may have kept, lost or modified their original function during evolution. This endogenous envelope protein has lost its original fusogenic properties.

ERVK-9 Antibody (C-Term) - References

Barbulescu M., et al. Curr. Biol. 9:861-868(1999).
de Parseval N., et al. J. Virol. 77:10414-10422(2003).

Blaise S.,et al.Proc. Natl. Acad. Sci. U.S.A. 100:13013-13018(2003).
Wang-Johanning F.,et al.Oncogene 22:1528-1535(2003).