

XTP3TPA Antibody (N-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP2821a**Specification**

XTP3TPA Antibody (N-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q9H773
Other Accession	Q91VC0 , Q9QY93
Reactivity	Human
Predicted	Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	18681
Antigen Region	12-40

XTP3TPA Antibody (N-term) - Additional Information**Gene ID** 79077**Other Names**

dCTP pyrophosphatase 1, Deoxycytidine-triphosphatase 1, dCTPase 1, RS21C6,
XTP3-transactivated gene A protein, DCTPP1, XTP3TPA

Target/Specificity

This XTP3TPA antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 12-40 amino acids from the N-terminal region of human XTP3TPA.

Dilution

WB~~1:1000
IHC-P~~1:10~50
E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

XTP3TPA Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

XTP3TPA Antibody (N-term) - Protein Information

Name DCTPP1 ([HGNC:28777](#))

Function Hydrolyzes deoxynucleoside triphosphates (dNTPs) to the corresponding nucleoside monophosphates. Has a strong preference for dCTP and its analogs including 5-iodo-dCTP and 5-methyl-dCTP for which it may even have a higher efficiency. May protect DNA or RNA against the incorporation of these genotoxic nucleotide analogs through their catabolism.

Cellular Location


Mitochondrion. Nucleus. Cytoplasm, cytosol

XTP3TPA Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

XTP3TPA Antibody (N-term) - Images



Western blot analysis of anti-XTP3TPA Antibody (N-term) (Cat.#AP2821a) in HepG2 cell line lysates (35ug/lane). XTP3TPA (arrow) was detected using the purified Pab.



Formalin-fixed and paraffin-embedded human breast carcinoma tissue reacted with XTP3TPA antibody (N-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.

XTP3TPA Antibody (N-term) - References

Stelzl,U., Cell 122 (6), 957-968 (2005)

Moroz,O.V., J. Mol. Biol. 347 (2), 243-255 (2005)

XTP3TPA Antibody (N-term) - Citations

- [DCTPP1, an Oncogene Regulated by miR-378a-3p, Promotes Proliferation of Breast Cancer via DNA Repair Signaling Pathway](#)
- [Autophagy induced by overexpression of DCTPP1 promotes tumor progression and predicts poor clinical outcome in prostate cancer.](#)
- [dCTP pyrophosphohydrolase exhibits nucleic accumulation in multiple carcinomas.](#)