

**Phospho-ANTXR1(Y382) Antibody**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP3547a**

**Specification**

---

**Phospho-ANTXR1(Y382) Antibody - Product Information**

Application	DB,E
Primary Accession	<a href="#">Q9H6X2</a>
Other Accession	<a href="#">Q6DFX2</a> , <a href="#">P58335</a> , <a href="#">Q0PMD2</a> , <a href="#">Q9CZ52</a>
Reactivity	Human
Predicted	Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	62789

**Phospho-ANTXR1(Y382) Antibody - Additional Information**

**Gene ID** 84168

**Other Names**

Anthrax toxin receptor 1, Tumor endothelial marker 8, ANTXR1, ATR, TEM8

**Target/Specificity**

This ANTXR1 Antibody is generated from rabbits immunized with a KLH conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding Y382 of human ANTXR1.

**Dilution**

DB~~1:500

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

Phospho-ANTXR1(Y382) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

**Phospho-ANTXR1(Y382) Antibody - Protein Information**

**Name** ANTXR1 {ECO:0000303|PubMed:22912819, ECO:0000312|HGNC:HGNC:21014}

**Function** Plays a role in cell attachment and migration. Interacts with extracellular matrix proteins and with the actin cytoskeleton. Mediates adhesion of cells to type 1 collagen and gelatin,

reorganization of the actin cytoskeleton and promotes cell spreading. Plays a role in the angiogenic response of cultured umbilical vein endothelial cells.

#### **Cellular Location**

Cell membrane; Single-pass type I membrane protein. Cell projection, lamellipodium membrane; Single-pass type I membrane protein. Cell projection, filopodium membrane; Single-pass type I membrane protein. Note=At the membrane of lamellipodia and at the tip of actin-enriched filopodia (PubMed:16762926). Colocalizes with actin at the base of lamellipodia (PubMed:16762926).

#### **Tissue Location**


Detected in umbilical vein endothelial cells (at protein level). Highly expressed in tumor endothelial cells

### **Phospho-ANTXR1(Y382) Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### **Phospho-ANTXR1(Y382) Antibody - Images**



Dot blot analysis of anti-Phospho-ANTXR1-pY382 Antibody (Cat.#AP3547a) on nitrocellulose membrane. 50ng of Phospho-peptide or Non Phospho-peptide per dot were adsorbed. Antibody working concentrations are 0.5ug per ml.

### **Phospho-ANTXR1(Y382) Antibody - Background**

ANTXR1 is a type I transmembrane protein and is a tumor-specific endothelial marker that has been implicated in colorectal cancer. This protein has been shown to also be a docking protein or

receptor for Bacillus anthracis toxin, the causative agent of the disease, anthrax. The binding of the protective antigen (PA) component, of the tripartite anthrax toxin, to this receptor protein mediates delivery of toxin components to the cytosol of cells. Once inside the cell, the other two components of anthrax toxin, edema factor (EF) and lethal factor (LF) disrupt normal cellular processes.

#### **Phospho-ANTXR1(Y382) Antibody - References**

Werner,E., J. Biol. Chem. 281 (32), 23227-23236 (2006)

Wei,W., Cell 124 (6), 1141-1154 (2006)

Rainey,G.J., Proc. Natl. Acad. Sci. U.S.A. 102 (37), 13278-13283 (2005)