

Phospho-SOX2(S83) Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP3651a

Specification

Phospho-SOX2(S83) Antibody - Product Information

Application WB, DB,E Primary Accession P48431

Other Accession P48432, P54231

Reactivity Human

Predicted Mouse, Sheep

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 34310

Phospho-SOX2(S83) Antibody - Additional Information

Gene ID 6657

Other Names

Transcription factor SOX-2, SOX2

Target/Specificity

This SOX2 Antibody is generated from rabbits immunized with a KLH conjugated synthetic phosphopeptide corresponding to amino acid residues surrounding S83 of human SOX2.

Dilution

WB~~1:1000 DB~~1:500

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Phospho-SOX2(S83) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Phospho-SOX2(S83) Antibody - Protein Information

Name SOX2



Function Transcription factor that forms a trimeric complex with OCT4 on DNA and controls the expression of a number of genes involved in embryonic development such as YES1, FGF4, UTF1 and ZFP206 (By similarity). Binds to the proximal enhancer region of NANOG (By similarity). Critical for early embryogenesis and for embryonic stem cell pluripotency (PubMed:18035408). Downstream SRRT target that mediates the promotion of neural stem cell self-renewal (By similarity). Keeps neural cells undifferentiated by counteracting the activity of proneural proteins and suppresses neuronal differentiation (By similarity). May function as a switch in neuronal development (By similarity).

Cellular Location


Nucleus speckle {ECO:0000250|UniProtKB:Q05738}. Nucleus {ECO:0000250|UniProtKB:Q05738}. Note=Acetylation contributes to its nuclear localization and deacetylation by HDAC3 induces a cytoplasmic delocalization (By similarity). Colocalizes in the nucleus with ZNF208 isoform KRAB-O and tyrosine hydroxylase (TH) (By similarity) Colocalizes with SOX6 in speckles. Colocalizes with CAML in the nucleus (By similarity). Nuclear import is facilitated by XPO4, a protein that usually acts as a nuclear export signal receptor (By similarity) {ECO:0000250|UniProtKB:Q05066, ECO:0000250|UniProtKB:Q05738}

Phospho-SOX2(S83) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Phospho-SOX2(S83) Antibody - Images



Dot blot analysis of anti-Phospho-SOX2-S83 Antibody (Cat. #AP3651a) on nitrocellulose membrane. 50ng of Phospho-peptide or Non Phospho-peptide per dot were adsorbed. Antibody working concentrations are 0.5ug per ml.

Phospho-SOX2(S83) Antibody - Background





Tel: 858.875.1900 Fax: 858.875.1999

SOX2 is a member of the SRY-related HMG-box (SOX) family of transcription factors involved in the regulation of embryonic development and in the determination of cell fate. This protein may act as a transcriptional activator after forming a protein complex with other proteins. Mutations in the SOX2 gene have been associated with bilateral anophthalmia, a severe form of structural eye malformation.

Phospho-SOX2(S83) Antibody - References

Remenyi, A., et al., Genes Dev. 17(16):2048-2059 (2003). Wiebe, M.S., et al., J. Biol. Chem. 278(20):17901-17911 (2003). Fantes, J., et al., Nat. Genet. 33(4):461-463 (2003). Schepers, G.E., et al., Dev. Cell 3(2):167-170 (2002). Kamachi, Y., et al., Trends Genet. 16(4):182-187 (2000).