

Phospho-ARHGAP35(Y1105) antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP3903a**Specification**

Phospho-ARHGAP35(Y1105) antibody - Product Information

Application	WB,E
Primary Accession	Q9NRY4
Other Accession	P81128 , Q91YM2
Reactivity	Human
Predicted	Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	170514

Phospho-ARHGAP35(Y1105) antibody - Additional Information**Gene ID** 2909**Other Names**

Rho GTPase-activating protein 35, Glucocorticoid receptor DNA-binding factor 1, Glucocorticoid receptor repression factor 1, GRF-1, Rho GAP p190A, p190-A, ARHGAP35, GRF1, GRLF1, KIAA1722

Target/Specificity

This antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 1090-1135 amino acids from human.

Dilution

WB~~1:500

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Phospho-ARHGAP35(Y1105) antibody is for research use only and not for use in diagnostic or therapeutic procedures.

Phospho-ARHGAP35(Y1105) antibody - Protein Information**Name** ARHGAP35 ([HGNC:4591](#))**Function** Rho GTPase-activating protein (GAP) (PubMed:[19673492](#), PubMed:[28894085](#)). Binds

several acidic phospholipids which inhibits the Rho GAP activity to promote the Rac GAP activity (PubMed:[19673492](#)). This binding is inhibited by phosphorylation by PRKCA (PubMed:[19673492](#)). Involved in cell differentiation as well as cell adhesion and migration, plays an important role in retinal tissue morphogenesis, neural tube fusion, midline fusion of the cerebral hemispheres and mammary gland branching morphogenesis (By similarity). Transduces signals from p21-ras to the nucleus, acting via the ras GTPase-activating protein (GAP) (By similarity). Transduces SRC-dependent signals from cell-surface adhesion molecules, such as laminin, to promote neurite outgrowth. Regulates axon outgrowth, guidance and fasciculation (By similarity). Modulates Rho GTPase- dependent F-actin polymerization, organization and assembly, is involved in polarized cell migration and in the positive regulation of ciliogenesis and cilia elongation (By similarity). During mammary gland development, is required in both the epithelial and stromal compartments for ductal outgrowth (By similarity). Represses transcription of the glucocorticoid receptor by binding to the cis- acting regulatory sequence 5'-GAGAAAAGAACTGGAGAACTC-3'; this function is however unclear and would need additional experimental evidences (PubMed:[1894621](#)).

Cellular Location

Cytoplasm, cytoskeleton, cilium basal body {ECO:0000250|UniProtKB:Q91YM2}. Cytoplasm {ECO:0000250|UniProtKB:Q91YM2}. Nucleus Cell membrane {ECO:0000250|UniProtKB:Q91YM2}. Note=In response to integrins and SDC4 and upon phosphorylation by PKC, relocalizes from the cytoplasm to regions of plasma membrane ruffling where it colocalizes with polymerized actin. {ECO:0000250|UniProtKB:Q91YM2}

Tissue Location

Detected in neutrophils (at protein level).


Phospho-ARHGAP35(Y1105) antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Phospho-ARHGAP35(Y1105) antibody - Images





Western blot analysis of lysates from A431 cell line, untreated or treated with EGF, 100ng/ml, using Phospho-HUMAN-ARHGAP35(Y1105)(Cat. #AP3903a)(upper) or Beta-actin (lower).

Phospho-ARHGAP35(Y1105) antibody - Background

Represses transcription of the glucocorticoid receptor by binding to the cis-acting regulatory sequence 5'- GAGAAAAGAACTGGAGAACTC-3'. May participate in the regulation of retinal development and degeneration. May transduce signals from p21-ras to the nucleus, acting via the ras GTPase-activating protein (GAP). May also act as a tumor suppressor.

Phospho-ARHGAP35(Y1105) antibody - References

- Nagase T.,et al.DNA Res. 7:347-355(2000).
- Nakajima D.,et al.DNA Res. 9:99-106(2002).
- Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.
- Tikoo A.,et al.Gene 257:23-31(2000).
- LeClerc S.,et al.J. Biol. Chem. 266:17333-17340(1991).