

# Phospho-MYPT1 (Ser668) Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP3920a

## **Specification**

### Phospho-MYPT1 (Ser668) Antibody - Product Information

Application WB,E
Primary Accession 014974

Other Accession Q90623, Q9DBR7, Q10728

Reactivity Human

Predicted Chicken, Mouse, Rat

Host Rabbit
Clonality polyclonal
Isotype Rabbit IgG
Calculated MW 115281

## Phospho-MYPT1 (Ser668) Antibody - Additional Information

#### **Gene ID 4659**

#### **Other Names**

Protein phosphatase 1 regulatory subunit 12A, Myosin phosphatase-targeting subunit 1, Myosin phosphatase target subunit 1, Protein phosphatase myosin-binding subunit, PPP1R12A, MBS, MYPT1

# Target/Specificity

This Phospho-MYPT1 (Ser668) antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 641-674 amino acids from human MYPT1.

#### **Dilution**

WB~~1:1000

E~~Use at an assay dependent concentration.

### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

### **Precautions**

Phospho-MYPT1 (Ser668) Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

## Phospho-MYPT1 (Ser668) Antibody - Protein Information

Name PPP1R12A (HGNC:7618)



**Function** Key regulator of protein phosphatase 1C (PPP1C). Mediates binding to myosin. As part of the PPP1C complex, involved in dephosphorylation of PLK1. Capable of inhibiting HIF1AN-dependent suppression of HIF1A activity.

### **Cellular Location**

Cytoplasm. Cytoplasm, cytoskeleton, stress fiber. Note=Also along actomyosin filaments

#### **Tissue Location**


Expressed in striated muscles, specifically in type 2a fibers (at protein level).

### Phospho-MYPT1 (Ser668) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# Phospho-MYPT1 (Ser668) Antibody - Images



Western blot analysis of lysates from Hela, Jurkat cell line, untreated or treated with Calyculin A, 100nM, using (Cat. #AP3920a)(upper) or Tubulin (lower).

## Phospho-MYPT1 (Ser668) Antibody - Background

Key regulator of protein phosphatase 1C (PPP1C). Mediates binding to myosin. As part of the PPP1C complex, involved in dephosphorylation of PLK1. Capable of inhibiting HIF1AN- dependent suppression of HIF1A activity.

## Phospho-MYPT1 (Ser668) Antibody - References

Takahashi N., et al. Genomics 44:150-152(1997).





Tel: 858.875.1900 Fax: 858.875.1999

Guo J.H., et al. Submitted (DEC-2001) to the EMBL/GenBank/DDBJ databases. Xia D.,et al.Submitted (SEP-2003) to the EMBL/GenBank/DDBJ databases. Ota T., et al. Nat. Genet. 36:40-45(2004). Scherer S.E., et al. Nature 440:346-351(2006).