

SC24A Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP4701c

Specification

SC24A Antibody (Center) - Product Information

Application IHC-P, WB,E **Primary Accession** 095486 Reactivity Human Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG 119749 Calculated MW Antigen Region 636-663

SC24A Antibody (Center) - Additional Information

Gene ID 10802

Other Names

Protein transport protein Sec24A, SEC24-related protein A, SEC24A

Target/Specificity

This SC24A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 636-663 amino acids from the Central region of human SC24A.

Dilution

IHC-P~~1:50~100 WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.


Precautions

SC24A Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

SC24A Antibody (Center) - Protein Information

Name SEC24A (<u>HGNC:10703</u>)

Function Component of the coat protein complex II (COPII) which promotes the formation of





transport vesicles from the endoplasmic reticulum (ER). The coat has two main functions, the physical deformation of the endoplasmic reticulum membrane into vesicles and the selection of cargo molecules for their transport to the Golgi complex (PubMed:17499046, PubMed:18843296, PubMed:20427317). Plays a central role in cargo selection within the COPII complex and together with SEC24B may have a different specificity compared to SEC24C and SEC24D. May package preferentially cargos with cytoplasmic DxE or LxxLE motifs and may also recognize conformational epitopes (PubMed:17499046, PubMed:18843296).

Cellular Location


Cytoplasmic vesicle, COPII-coated vesicle membrane; Peripheral membrane protein; Cytoplasmic side. Endoplasmic reticulum membrane; Peripheral membrane protein; Cytoplasmic side. Cytoplasm, cytosol

SC24A Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

SC24A Antibody (Center) - Images



Western blot analysis of SC24A Antibody (Center) (Cat. #AP4701c) in T47D cell line lysates (35ug/lane). SC24A (arrow) was detected using the purified Pab.





SC24A Antibody (Center) (Cat. #AP4701c) IHC analysis in formalin fixed and paraffin embedded hepatocarcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the SC24A Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.

SC24A Antibody (Center) - Background

SC24A is a component of coat protein II (COPII; see MIM 601924)-coated vesicles that mediate protein transport from the endoplasmic reticulum. SEC24A is 1 of several mammalian proteins that show structural and functional homology to yeast Sec24.

SC24A Antibody (Center) - References

Sugiyama, N., et al. Mol. Cell Proteomics 6(6):1103-1109(2007) Mancias, J.D., et al. Mol. Cell 26(3):403-414(2007) Wendeler, M.W., et al. EMBO Rep. 8(3):258-264(2007)