

GL8D2 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP4719A

Specification

GL8D2 Antibody (N-term) - Product Information

Application	FC, WB,E
Primary Accession	O9H1C3
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	40026
Antigen Region	14-42

GL8D2 Antibody (N-term) - Additional Information

Gene ID 83468

Other Names

Glycosyltransferase 8 domain-containing protein 2, 241-, GLT8D2, GALA4A

Target/Specificity

This GL8D2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 14-42 amino acids from the N-terminal region of human GL8D2.

Dilution

FC~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

GL8D2 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

GL8D2 Antibody (N-term) - Protein Information

Name GLT8D2

Synonyms GALA4A


Cellular Location

Membrane; Single-pass type II membrane protein


GL8D2 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GL8D2 Antibody (N-term) - Images

Western blot analysis of GL8D2 Antibody (N-term) (Cat. #AP4719a) in 293 cell line lysates (35ug/lane). GL8D2 (arrow) was detected using the purified Pab.



GL8D2 Antibody (N-term) (Cat. #AP4719a) flow cytometric analysis of 293 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

GL8D2 Antibody (N-term) - References

Clark, H.F., et al. Genome Res. 13(10):2265-2270(2003)