

LRRN3 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP4916A**Specification**

LRRN3 Antibody (N-term) - Product Information

Application	FC, WB,E
Primary Accession	Q9H3W5
Other Accession	Q9ESY6 , Q8CBC6
Reactivity	Human
Predicted	Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	79424
Antigen Region	107-134

LRRN3 Antibody (N-term) - Additional Information**Gene ID** 54674**Other Names**

Leucine-rich repeat neuronal protein 3, Neuronal leucine-rich repeat protein 3, NLRR-3, LRRN3

Target/Specificity

This LRRN3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 107-134 amino acids from the N-terminal region of human LRRN3.

Dilution

FC~~1:10~50

WB~~1:1000

E~~Use at an assay dependent concentration.

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

LRRN3 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

LRRN3 Antibody (N-term) - Protein Information**Name** LRRN3


Cellular Location

Membrane; Single-pass type I membrane protein


LRRN3 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

LRRN3 Antibody (N-term) - Images

Western blot analysis of LRRN3 Antibody (N-term) (Cat. #AP4916a) in K562 cell line lysates (35ug/lane). LRRN3 (arrow) was detected using the purified Pab.



LRRN3 Antibody (N-term) (Cat. #AP4916a) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

LRRN3 Antibody (N-term) - References

Clark, H.F., et al. Genome Res. 13(10):2265-2270(2003)

Fukamachi, K., et al. Biochem. Biophys. Res. Commun. 287(1):257-263(2001)