

GIT2 Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP50209**Specification**

GIT2 Antibody - Product Information

Application	WB
Primary Accession	Q14161
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	85,53,83,79,84,73,72,78,76,70 KDa
Antigen Region	385-410

GIT2 Antibody - Additional Information**Gene ID** 9815**Other Names**

ARF GTPase-activating protein GIT2, ARF GAP GIT2, Cool-interacting tyrosine-phosphorylated protein 2, CAT-2, CAT2, G protein-coupled receptor kinase-interactor 2, GRK-interacting protein 2, GIT2, KIAA0148

Dilution

WB~~ 1:1000

Format

Rabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.09% (W/V) sodium azide and 50% glycerol.

Storage Conditions

-20°C

GIT2 Antibody - Protein Information**Name** GIT2**Synonyms** KIAA0148**Function**


GTPase-activating protein for ADP ribosylation factor family members, including ARF1.

GIT2 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GIT2 Antibody - Images



Western blot analysis of lysates from K562,293T cell line (from left to right),using GIT2 Antibody(C11019). C11019 was diluted at 1:1000 at each lane. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody.Lysates at 35ug per lane.

GIT2 Antibody - Background

GTPase-activating protein for the ADP ribosylation factor family.

GIT2 Antibody - References

- Premont R.T.,et al.J. Biol. Chem. 275:22373-22380(2000).
Nagase T.,et al.DNA Res. 2:167-174(1995).
Nakajima D.,et al.DNA Res. 9:99-106(2002).
Kalnine N.,et al.Submitted (MAY-2003) to the EMBL/GenBank/DDBJ databases.
Mazaki Y.,et al.Mol. Biol. Cell 12:645-662(2001).