

# **KRTAP1-1 Antibody (Center)**

**Affinity Purified Rabbit Polyclonal Antibody (Pab)** Catalog # AP5050C

### **Specification**

# KRTAP1-1 Antibody (Center) - Product Information

FC, IHC-P, WB,E Application

**Primary Accession** 007627

O9BYS1, O8IUG1 Other Accession

Reactivity Human Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 18235

Antigen Region 1-1

### KRTAP1-1 Antibody (Center) - Additional Information

#### **Gene ID 81851**

#### **Other Names**

Keratin-associated protein 1-1, High sulfur keratin-associated protein 11, Keratin-associated protein 11, Keratin-associated protein 16, Keratin-associated protein 17, KRTAP1-1, B2A, KAP11, KAP16, KAP17, KRTAP11

# Target/Specificity

This KRTAP1-1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 88-117 amino acids from the Central region of human KRTAP1-1.

#### **Dilution**

FC~~1:10~50 IHC-P~~1:50~100 WB~~1:1000

E~~Use at an assay dependent concentration.

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

# Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

KRTAP1-1 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

# KRTAP1-1 Antibody (Center) - Protein Information



#### Name KRTAP1-1

Synonyms B2A, KAP1.1, KAP1.6, KAP1.7, KRTAP1.1

**Function** In the hair cortex, hair keratin intermediate filaments are embedded in an interfilamentous matrix, consisting of hair keratin- associated proteins (KRTAP), which are essential for the formation of a rigid and resistant hair shaft through their extensive disulfide bond cross-linking with abundant cysteine residues of hair keratins. The matrix proteins include the high-sulfur and high-glycine-tyrosine keratins.

#### **Tissue Location**


Expressed in the middle/upper portions of the hair cortex, in the region termed the keratogenous zone

### KRTAP1-1 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

### KRTAP1-1 Antibody (Center) - Images




Western blot analysis of KRTAP1-1 Antibody (Center) (Cat. #AP5050c) in K562 cell line lysates (35ug/lane).KRTAP1-1 (arrow) was detected using the purified Pab.





KRTAP1-1 Antibody (Center) (Cat. #AP5050c) immunohistochemistry analysis in formalin fixed and paraffin embedded human skin carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the KRTAP1-1 Antibody (Center) for immunohistochemistry. Clinical relevance has not been evaluated.



KRTAP1-1 Antibody (Center) (Cat. #AP5050c) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

### KRTAP1-1 Antibody (Center) - Background

KRTAP1-1 is a member of the keratin-associated protein (KAP) family. The KAP proteins form a matrix of keratin intermediate filaments which contribute to the structure of hair fibers. KAP family members appear to have unique, family-specific amino- and carboxyl-terminal regions and are subdivided into three multi-gene families according to amino acid composition: the high sulfur, the ultrahigh sulfur, and the high tyrosine/glycine KAPs. This protein is a member of the high sulfur KAP family and the gene is localized to a cluster of KAPs at 17q12-q21.

# **KRTAP1-1 Antibody (Center) - References**

Shimomura, Y., et al. J. Invest. Dermatol. 118(2):226-231(2002) Rogers, M.A., et al. J. Biol. Chem. 276(22):19440-19451(2001)