

CDKL2 Antibody
Affinity-Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP50653**Specification**

CDKL2 Antibody - Product Information

Application	WB
Primary Accession	Q92772
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	56 KDa
Antigen Region	230-259

CDKL2 Antibody - Additional Information**Gene ID** 8999**Other Names**

Cyclin-dependent kinase-like 2, Protein kinase p56 KKIAMRE, Serine/threonine-protein kinase KKIAMRE, CDKL2

Dilution

WB~~1:500

FormatRabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.09% (W/V) sodium azide and 50% glycerol.**Storage Conditions**

-20°C

CDKL2 Antibody - Protein Information**Name** CDKL2 ([HGNC:1782](#))**Cellular Location**

Cytoplasm. Nucleus

Tissue Location


Expressed in testis and kidney, and at lower level in brain and lung.

CDKL2 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CDKL2 Antibody - Images



Western blot analysis of lysate from 293 cell line, using CDKL2 Antibody (AP50653). AP50653 was diluted at 1:500. A goat anti-rabbit IgG H&L (HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35 µg.

CDKL2 Antibody - References

- Taglienti C.A., et al. *Oncogene* 13:2563-2574 (1996).
Ota T., et al. *Nat. Genet.* 36:40-45 (2004).
Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.
Greenman C., et al. *Nature* 446:153-158 (2007).