

**NBPF7 Antibody**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP50656****Specification**

---

**NBPF7 Antibody - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | WB                     |
| Primary Accession | <a href="#">P0C2Y1</a> |
| Host              | Rabbit                 |
| Clonality         | Polyclonal             |
| Calculated MW     | 48 KDa                 |
| Antigen Region    | 375-399                |

**NBPF7 Antibody - Additional Information****Other Names**

Putative neuroblastoma breakpoint family member 7, NBPF7

**Dilution**

WB~~1:500

**Format**

Rabbit IgG in phosphate buffered saline (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150mM NaCl, 0.09% (W/V) sodium azide and 50% glycerol.

**Storage Conditions**

-20°C

**NBPF7 Antibody - Protein Information**

**Name** NBPF7P ([HGNC:31989](#))

**Synonyms** NBPF7

**Cellular Location**

Cytoplasm.


**NBPF7 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)

- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

#### **NBPF7 Antibody - Images**



Western blot analysis of lysate from SH-SY5Y cell line, using NBPF7 Antibody (AP50656). AP50656 was diluted at 1:500. A goat anti-rabbit IgG H&L (HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35 µg.

#### **NBPF7 Antibody - References**

Gregory S.G., et al. Nature 441:315-321 (2006).