

ZNF232 Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP50686**Specification**

ZNF232 Antibody - Product Information

Application	WB, IHC
Primary Accession	Q9UNY5
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	48,47 KDa
Antigen Region	185-214

ZNF232 Antibody - Additional Information**Gene ID** 7775**Other Names**

Zinc finger protein 232, Zinc finger and SCAN domain-containing protein 11, ZNF232, ZSCAN11

Dilution

WB~~ 1:1000

IHC~~1:50-1:100

FormatRabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.09% (W/V) sodium azide and 50% glycerol.**Storage Conditions**

-20°C

ZNF232 Antibody - Protein Information**Name** ZNF232**Synonyms** ZSCAN11**Function**

May be involved in transcriptional regulation.

Cellular Location

Nucleus.

Tissue Location


Ubiquitous. Higher expression seen in the liver, testis and ovary

ZNF232 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF232 Antibody - Images



Western blot analysis of lysate from human testis tissue lysate, using ZNF232 Antibody (AP50686). AP50686 was diluted at 1:1000. A goat anti-rabbit IgG H&L (HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug.



Immunohistochemistry analysis of paraffin-embedded human breast carcinoma tissue, using ZNF232 antibody.

ZNF232 Antibody - Background

May be involved in transcriptional regulation.

ZNF232 Antibody - References

Mavrogiannis L.A., et al. Biochim. Biophys. Acta 1518:300-305 (2001).
Zody M.C., et al. Nature 440:1045-1049 (2006).

Sjoeblom T.,et al.Science 314:268-274(2006).