

**ASAH3L Antibody**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP50775****Specification**

---

**ASAH3L Antibody - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | <b>WB</b>              |
| Primary Accession | <a href="#">O5QJU3</a> |
| Reactivity        | <b>Human, Mouse</b>    |
| Host              | <b>Rabbit</b>          |
| Clonality         | <b>Polyclonal</b>      |
| Calculated MW     | <b>31,26,16 KDa</b>    |
| Antigen Region    | <b>102-130</b>         |

**ASAH3L Antibody - Additional Information****Gene ID** 340485**Other Names**

Alkaline ceramidase 2, AlkCDase 2, Alkaline CDase 2, haCER2, Acylsphingosine deacylase 3-like, N-acylsphingosine amidohydrolase 3-like, ACER2, ASAH3L

**Dilution**

WB~~ 1:1000

**Format**Rabbit IgG in phosphate buffered saline (without Mg<sup>2+</sup> and Ca<sup>2+</sup>), pH 7.4, 150mM NaCl, 0.09% (W/V) sodium azide and 50% glycerol.**Storage Conditions**

-20°C

**ASAH3L Antibody - Protein Information****Name** ACER2 ([HGNC:23675](#))**Synonyms** ASAH3L**Function**

Golgi ceramidase that catalyzes the hydrolysis of ceramides into sphingoid bases like sphingosine and free fatty acids at alkaline pH (PubMed: [16940153](http://www.uniprot.org/citations/16940153), PubMed: [18945876](http://www.uniprot.org/citations/18945876), PubMed: [20207939](http://www.uniprot.org/citations/20207939), PubMed: [20089856](http://www.uniprot.org/citations/20089856)). Ceramides, sphingosine, and its phosphorylated form sphingosine-1-phosphate are bioactive lipids that mediate cellular signaling pathways regulating several biological processes including cell proliferation, apoptosis and differentiation (PubMed: [20207939](http://www.uniprot.org/citations/20207939)). Has a better

catalytic efficiency towards unsaturated long-chain ceramides, including C18:1-, C20:1- and C24:1-ceramides (PubMed:<a href="http://www.uniprot.org/citations/16940153" target="\_blank">16940153</a>, PubMed:<a href="http://www.uniprot.org/citations/18945876" target="\_blank">18945876</a>, PubMed:<a href="http://www.uniprot.org/citations/20207939" target="\_blank">20207939</a>, PubMed:<a href="http://www.uniprot.org/citations/20089856" target="\_blank">20089856</a>). Saturated long-chain ceramides and unsaturated very long-chain ceramides are also good substrates, whereas saturated very long-chain ceramides and short-chain ceramides are poor substrates (PubMed:<a href="http://www.uniprot.org/citations/20089856" target="\_blank">20089856</a>). Also hydrolyzes dihydroceramides to produce dihydrosphingosine (PubMed:<a href="http://www.uniprot.org/citations/20207939" target="\_blank">20207939</a>, PubMed:<a href="http://www.uniprot.org/citations/20628055" target="\_blank">20628055</a>). It is the ceramidase that controls the levels of circulating sphingosine-1-phosphate and dihydrosphingosine-1-phosphate in plasma through their production by hematopoietic cells (By similarity). Regulates cell proliferation, autophagy and apoptosis by the production of sphingosine and sphingosine-1-phosphate (PubMed:<a href="http://www.uniprot.org/citations/16940153" target="\_blank">16940153</a>, PubMed:<a href="http://www.uniprot.org/citations/26943039" target="\_blank">26943039</a>, PubMed:<a href="http://www.uniprot.org/citations/28294157" target="\_blank">28294157</a>, PubMed:<a href="http://www.uniprot.org/citations/29229990" target="\_blank">29229990</a>). As part of a p53/TP53-dependent pathway, promotes for instance autophagy and apoptosis in response to DNA damage (PubMed:<a href="http://www.uniprot.org/citations/26943039" target="\_blank">26943039</a>, PubMed:<a href="http://www.uniprot.org/citations/28294157" target="\_blank">28294157</a>, PubMed:<a href="http://www.uniprot.org/citations/29229990" target="\_blank">29229990</a>). Through the production of sphingosine, may also regulate the function of the Golgi complex and regulate the glycosylation of proteins (PubMed:<a href="http://www.uniprot.org/citations/18945876" target="\_blank">18945876</a>).

#### Cellular Location

Golgi apparatus membrane; Multi-pass membrane protein

#### Tissue Location


Highly expressed in placenta.


### ASAH3L Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### ASAH3L Antibody - Images





Western blot analysis of lysate from human placenta tissue lysate, using ASAH3L Antibody (AP50775). AP50775 was diluted at 1:1000. A goat anti-rabbit IgG H&L (HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug.

#### **ASAH3L Antibody - Background**

Hydrolyzes the sphingolipid ceramide into sphingosine and free fatty acid. Unsaturated long-chain ceramides are the best substrates, saturated long-chain ceramides and unsaturated very long-chain ceramides are good substrates, whereas saturated very long-chain ceramides and short-chain ceramides were poor substrates. The substrate preference is D-erythro-C(18:1)-, C(20:1)-, C(20:4)-ceramide > D-erythro-C(16:0)-, C(18:0), C(20:0)- ceramide > D-erythro-C(24:1)-ceramide > D-erythro-C(12:0)- ceramide, D-erythro-C(14:0)-ceramides > D-erythro-C(24:0)-ceramide > D-erythro-C(6:0)-ceramide. Inhibits the maturation of protein glycosylation in the Golgi complex, including that of integrin beta-1 (ITGB1) and of LAMP1, by increasing the levels of sphingosine. Inhibits cell adhesion by reducing the level of ITGB1 in the cell surface. May have a role in cell proliferation and apoptosis that seems to depend on the balance between sphingosine and sphingosine-1-phosphate.

#### **ASAH3L Antibody - References**

- Xu R., et al. FASEB J. 20:1813-1825(2006).
- Wan D., et al. Proc. Natl. Acad. Sci. U.S.A. 101:15724-15729(2004).
- Humphray S.J., et al. Nature 429:369-374(2004).
- Sun W., et al. FASEB J. 23:656-666(2009).
- Sun W., et al. J. Biol. Chem. 285:8995-9007(2010).