

ZNF596 Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP50833**Specification**

ZNF596 Antibody - Product Information

Application	WB, IHC
Primary Accession	Q8TC21
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	59,51,16 KDa
Antigen Region	231-258

ZNF596 Antibody - Additional Information**Gene ID** 169270**Other Names**

Zinc finger protein 596, ZNF596

Dilution

WB~~ 1:1000

IHC~~1:50~100

FormatRabbit IgG in phosphate buffered saline (without Mg²⁺ and Ca²⁺), pH 7.4, 150mM NaCl, 0.09% (W/V) sodium azide and 50% glycerol.**Storage Conditions**

-20°C

ZNF596 Antibody - Protein Information**Name** ZNF596**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF596 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF596 Antibody - Images



Western blot analysis of lysate from CEM cell line, using ZNF596 Antibody, was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug.



Immunohistochemistry analysis of paraffin-embedded human brain tissue using ZNF596 antibody.

ZNF596 Antibody - Background

May be involved in transcriptional regulation.

ZNF596 Antibody - References

Ota T., et al. Nat. Genet. 36:40-45(2004).
Nusbaum C., et al. Nature 439:331-335(2006).