

Cyclin F Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP51053

Specification

Cyclin F Antibody - Product Information

Application	WB, IHC-P, E
Primary Accession	P41002
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	88 KDa

Cyclin F Antibody - Additional Information

Gene ID 899

Other Names

Cyclin-F, F-box only protein 1, CCNF, FBX1, FBXO1

Target/Specificity

KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human Cyclin F. The exact sequence is proprietary.

Dilution

WB~~1:1000

IHC-P~~N/A

E~~N/A

Format

0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

Storage

Store at -20 °C. Stable for 12 months from date of receipt

Cyclin F Antibody - Protein Information

Name CCNF

Synonyms FBX1, FBXO1

Function

Substrate recognition component of a SCF (SKP1-CUL1-F-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins (PubMed: [20596027](http://www.uniprot.org/citations/20596027), PubMed: [22632967](http://www.uniprot.org/citations/22632967), PubMed: [26818844](http://www.uniprot.org/citations/26818844), PubMed: [27080313](http://www.uniprot.org/citations/27080313))

target="_blank">27080313, PubMed:27653696, PubMed:28852778). The SCF(CCNF) E3 ubiquitin-protein ligase complex is an integral component of the ubiquitin proteasome system (UPS) and links proteasome degradation to the cell cycle (PubMed:20596027, PubMed:26818844, PubMed:27653696, PubMed:8706131). Mediates the substrate recognition and the proteasomal degradation of various target proteins involved in the regulation of cell cycle progression and in the maintenance of genome stability (PubMed:20596027, PubMed:22632967, PubMed:26818844, PubMed:27653696). Mediates the ubiquitination and proteasomal degradation of CP110 during G2 phase, thereby acting as an inhibitor of centrosome reduplication (PubMed:20596027). In G2, mediates the ubiquitination and subsequent degradation of ribonucleotide reductase RRM2, thereby maintaining a balanced pool of dNTPs and genome integrity (PubMed:22632967). In G2, mediates the ubiquitination and proteasomal degradation of CDC6, thereby suppressing DNA re-replication and preventing genome instability (PubMed:26818844). Involved in the ubiquitination and degradation of the substrate adapter CDH1 of the anaphase-promoting complex (APC/C), thereby acting as an antagonist of APC/C in regulating G1 progression and S phase entry (PubMed:27653696). May play a role in the G2 cell cycle checkpoint control after DNA damage, possibly by promoting the ubiquitination of MYBL2/BMYB (PubMed:25557911).

Cellular Location

Nucleus. Cytoplasm, perinuclear region. Cytoplasm, cytoskeleton, microtubule organizing center, centrosome, centriole Note=Localization to the centrosome is rare in S phase cells and increases in G2 cells. Localizes to both the mother and daughter centrioles. Localization to centrosomes is not dependent on CP110 Localizes to the nucleus in G2 phase.

Tissue Location

Widely expressed, with expression detected in the heart, brain, placenta, lung, liver, skeletal muscle, kidney and pancreas.

Cyclin F Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

Cyclin F Antibody - Images

Cyclin F Antibody - Background

Substrate recognition component of a SCF (SKP1-CUL1-F-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of CP110 during G2 phase, thereby acting as an inhibitor of centrosome reduplication.

Cyclin F Antibody - References

Bai C., et al. EMBO J. 13:6087-6098(1994).
Kraus B., et al. Genomics 24:27-33(1994).
Ota T., et al. Nat. Genet. 36:40-45(2004).
Martin J., et al. Nature 432:988-994(2004).
Bai C., et al. Cell 86:263-274(1996).