

GAB2 Antibody

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP51222

Specification

GAB2 Antibody - Product Information

Application WB
Primary Accession O9UOC2
Reactivity Human
Host Rabbit
Clonality Polyclonal
Calculated MW 74 KDa
Antigen Region 221 - 280

GAB2 Antibody - Additional Information

Gene ID 9846

Other Names

GRB2-associated-binding protein 2, GRB2-associated binder 2, Growth factor receptor bound protein 2-associated protein 2, pp100, GAB2, KIAA0571

Target/Specificity

KLH conjugated synthetic peptide derived from human GAB2

Dilution

WB~~ 1:1000

Format

0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

Storage

Store at -20 °C. Stable for 12 months from date of receipt

GAB2 Antibody - Protein Information

Name GAB2

Synonyms KIAA0571

Function

Adapter protein which acts downstream of several membrane receptors including cytokine, antigen, hormone, cell matrix and growth factor receptors to regulate multiple signaling pathways. Regulates osteoclast differentiation mediating the TNFRSF11A/RANK signaling. In allergic response, it plays a role in mast cells activation and degranulation through PI-3-kinase regulation. Also involved in the regulation of cell proliferation and hematopoiesis.

Cellular Location



Tel: 858.875.1900 Fax: 858.875.1999


Cytoplasm. Cell membrane. Membrane raft {ECO:0000250|UniProtKB:Q9Z1S8}

GAB2 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

GAB2 Antibody - Images



Anti-GAB2 Antibodyat 1:1000 dilution + MCF-7 whole cell lysates Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution Predicted band size: 74 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

GAB2 Antibody - Background

Adapter protein which acts downstream of several membrane receptors including cytokine. antigen, hormone, cell matrix and growth factor receptors to regulate multiple signaling pathways. Regulates osteoclast differentiation mediating the TNFRSF11A/RANK signaling. In allergic response, it plays a role in mast cells activation and degranulation through PI-3-kinase regulation. Also involved in the regulation of cell proliferation and hematopoiesis.

GAB2 Antibody - References

Nishida K., et al. Blood 93:1809-1816(1999).

Nagase T., et al. DNA Res. 5:31-39(1998).

Nagase T., et al. Submitted (JAN-2004) to the EMBL/GenBank/DDBJ databases.

Taylor T.D., et al. Nature 440:497-500(2006).

Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.