

# Cytokeratin 14 Antibody

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP51307

## **Specification**

# Cytokeratin 14 Antibody - Product Information

Application WB, ICC, IHC-P, E

Primary Accession P02533

Reactivity Human, Mouse, Rat

Host Rabbit
Clonality Polyclonal
Calculated MW 51 KDa

# Cytokeratin 14 Antibody - Additional Information

**Gene ID 3861** 

#### **Other Names**

Keratin, type I cytoskeletal 14, Cytokeratin-14, CK-14, Keratin-14, K14, KRT14

#### **Dilution**

WB~~1:1000 ICC~~N/A IHC-P~~N/A E~~N/A

#### **Format**

0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

#### **Storage**

Store at -20 °C. Stable for 12 months from date of receipt

## **Cytokeratin 14 Antibody - Protein Information**

#### Name KRT14

### **Function**

The nonhelical tail domain is involved in promoting KRT5- KRT14 filaments to self-organize into large bundles and enhances the mechanical properties involved in resilience of keratin intermediate filaments in vitro.

### **Cellular Location**

Cytoplasm. Nucleus. Note=Expressed in both as a filamentous pattern.

# **Tissue Location**

Expressed in the corneal epithelium (at protein level) (PubMed:26758872). Detected in the basal layer, lowered within the more apically located layers specifically in the stratum spinosum, stratum granulosum but is not detected in stratum corneum. Strongly expressed in the outer root sheath of



anagen follicles but not in the germinative matrix, inner root sheath or hair (PubMed:9457912). Found in keratinocytes surrounding the club hair during telogen (PubMed:9457912).

# Cytokeratin 14 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

### Cytokeratin 14 Antibody - Images

# Cytokeratin 14 Antibody - Background

The nonhelical tail domain is involved in promoting KRT5-KRT14 filaments to self-organize into large bundles and enhances the mechanical properties involved in resilience of keratin intermediate filaments in vitro.

# Cytokeratin 14 Antibody - References

Marchuk D., et al. Cell 39:491-498(1984).

Marchuk D., et al. Proc. Natl. Acad. Sci. U.S.A. 82:1609-1613(1985).

Kalnine N., et al. Submitted (MAY-2003) to the EMBL/GenBank/DDBJ databases.

Zody M.C., et al. Nature 440:1045-1049(2006).

Hanukoglu I., et al. Cell 31:243-252(1982).