

MASP1 HC Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP51330

Specification

MASP1 HC Antibody - Product Information

Application
Primary Accession
Reactivity
Host
Clonality
Calculated MW

WB, E
P48740
Human, Mouse, Rat
Rabbit
Polyclonal
47 KDa

MASP1 HC Antibody - Additional Information

Gene ID 5648

Other Names

Mannan-binding lectin serine protease 1, 3421-, Complement factor MASP-3, Complement-activating component of Ra-reactive factor, Mannose-binding lectin-associated serine protease 1, MASP-1, Mannose-binding protein-associated serine protease, Ra-reactive factor serine protease p100, RaRF, Serine protease 5, Mannan-binding lectin serine protease 1 heavy chain, Mannan-binding lectin serine protease 1 light chain, MASP1, CRARF1, PRSS5

Format

0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

Storage

Store at -20 °C. Stable for 12 months from date of receipt

MASP1 HC Antibody - Protein Information

Name MASP1

Synonyms CRARF, CRARF1, PRSS5

Function

Functions in the lectin pathway of complement, which performs a key role in innate immunity by recognizing pathogens through patterns of sugar moieties and neutralizing them. The lectin pathway is triggered upon binding of mannan-binding lectin (MBL) and ficolins to sugar moieties which leads to activation of the associated proteases MASP1 and MASP2. Functions as an endopeptidase and may activate MASP2 or C2 or directly activate C3 the key component of complement reaction. Isoform 2 may have an inhibitory effect on the activation of the lectin pathway of complement or may cleave IGFBP5. Also plays a role in development (PubMed:21258343).

Cellular Location

Secreted.



Tissue Location

Protein of the plasma which is primarily expressed by liver.

MASP1 HC Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

MASP1 HC Antibody - Images

MASP1 HC Antibody - Background

Functions in the lectin pathway of complement, which performs a key role in innate immunity by recognizing pathogens through patterns of sugar moieties and neutralizing them. The lectin pathway is triggered upon binding of mannan-binding lectin (MBL) and ficolins to sugar moieties which leads to activation of the associated proteases MASP1 and MASP2. Functions as an endopeptidase and may activate MASP2 or C2 or directly activate C3 the key component of complement reaction. Isoform 2 may have an inhibitory effect on the activation of the lectin pathway of complement or may cleave IGFBP5.

MASP1 HC Antibody - References

Takada F.,et al.Biochem. Biophys. Res. Commun. 196:1003-1009(1993). Sato T.,et al.Int. Immunol. 6:665-669(1994). Endo Y.,et al.Int. Immunol. 8:1355-1358(1996). Takayama Y.,et al.Mol. Immunol. 36:505-514(1999). Dahl M.R.,et al.Immunity 15:127-135(2001).