

## LAT (pY191) Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP51627

### Specification

# LAT (pY191) Antibody - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW WB, E <u>O43561</u> Human, Mouse, Rat Rabbit Polyclonal 38 KDa

## LAT (pY191) Antibody - Additional Information

Gene ID 27040

**Other Names** Linker for activation of T-cells family member 1, 36 kDa phospho-tyrosine adapter protein, pp36, p36-38, LAT

**Target/Specificity** KLH-conjugated synthetic peptide encompassing a sequence within the C-term region of human LAT. The exact sequence is proprietary.

Dilution WB~~1:1000 E~~N/A

Format 0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

Storage Store at -20 °C.Stable for 12 months from date of receipt

## LAT (pY191) Antibody - Protein Information

Name LAT

Function

Required for TCR (T-cell antigen receptor)- and pre-TCR- mediated signaling, both in mature T-cells and during their development (PubMed:<a href="http://www.uniprot.org/citations/23514740" target="\_blank">23514740</a>, PubMed:<a href="http://www.uniprot.org/citations/25907557" target="\_blank">25907557</a>). Involved in FCGR3 (low affinity immunoglobulin gamma Fc region receptor III)-mediated signaling in natural killer cells and FCER1 (high affinity immunoglobulin epsilon receptor)-mediated signaling in mast cells. Couples activation of these receptors and their associated kinases with distal intracellular events such as mobilization of intracellular calcium stores, PKC activation, MAPK activation or cytoskeletal reorganization through



the recruitment of PLCG1, GRB2, GRAP2, and other signaling molecules.

**Cellular Location** 

Cell membrane; Single-pass type III membrane protein. Note=Present in lipid rafts

**Tissue Location** Expressed in thymus, T-cells, NK cells, mast cells and, at lower levels, in spleen. Present in T-cells but not B-cells (at protein level).

## LAT (pY191) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

### LAT (pY191) Antibody - Images

## LAT (pY191) Antibody - Background

Required for TCR (T-cell antigen receptor)- and pre-TCR- mediated signaling, both in mature T-cells and during their development. Involved in FCGR3 (low affinity immunoglobulin gamma Fc region receptor III)-mediated signaling in natural killer cells and FCER1 (high affinity immunoglobulin epsilon receptor)-mediated signaling in mast cells. Couples activation of these receptors and their associated kinases with distal intracellular events such as mobilization of intracellular calcium stores, PKC activation, MAPK activation or cytoskeletal reorganization through the recruitment of PLCG1, GRB2, GRAP2, and other signaling molecules.

### LAT (pY191) Antibody - References

Zhang W.,et al.Cell 92:83-92(1998). Weber J.R.,et al.J. Exp. Med. 187:1157-1161(1998). Martin J.,et al.Nature 432:988-994(2004). Zhang W.,et al.Immunity 9:239-246(1998). Lindholm C.K.,et al.J. Biol. Chem. 274:28050-28057(1999).