

### C3orf75 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP5163b

### **Specification**

# C3orf75 Antibody (C-term) - Product Information

Application WB, IHC-P, FC,E

Primary Accession
Reactivity
Human
Host
Clonality
Isotype
Calculated MW
Antigen Region

OPNE2
Human
Rabbit
Polyclonal
Rabbit IgG
29793
223-252

### C3orf75 Antibody (C-term) - Additional Information

### **Gene ID 54859**

#### **Other Names**

Elongator complex protein 6, Angiotonin-transactivated protein 1, Protein TMEM103, ELP6, ATP1, C3orf75, TMEM103

### Target/Specificity

This C3orf75 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 223-252 amino acids from the C-terminal region of human C3orf75.

# **Dilution**

WB~~1:1000 IHC-P~~1:50~100 FC~~1:10~50

#### Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

### **Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

### **Precautions**

C3orf75 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

# C3orf75 Antibody (C-term) - Protein Information

Name ELP6 {ECO:0000303|PubMed:22854966, ECO:0000312|HGNC:HGNC:25976}




**Function** Component of the elongator complex which is required for multiple tRNA modifications, including mcm5U (5-methoxycarbonylmethyl uridine), mcm5s2U (5-methoxycarbonylmethyl-2-thiouridine), and ncm5U (5-carbamoylmethyl uridine) (PubMed:29332244). The elongator complex catalyzes formation of carboxymethyluridine in the wobble base at position 34 in tRNAs (PubMed:22854966, PubMed:29332244). Involved in cell migration (By similarity).

# C3orf75 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# C3orf75 Antibody (C-term) - Images




Western blot analysis of C3orf75 Antibody (C-term) (Cat. #AP5163b) in K562 cell line lysates (35ug/lane).C3orf75 (arrow) was detected using the purified Pab.



C3orf75 Antibody (C-term) (Cat. #AP5163b) immunohistochemistry analysis in formalin fixed and



paraffin embedded human colon carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the C3orf75 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



C3orf75 Antibody (C-term) (Cat. #AP5163b) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

# C3orf75 Antibody (C-term) - Background

The function of this protein has not been specifically defined.

# C3orf75 Antibody (C-term) - References

Gerhard, D.S., et al. Genome Res. 14 (10B), 2121-2127 (2004)