

# Androgen Receptor (pY363) Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP51656

### **Specification**

# Androgen Receptor (pY363) Antibody - Product Information

Application WB, E
Primary Accession P10275

Reactivity Human, Mouse, Rat

Host Rabbit
Clonality Polyclonal
Calculated MW 110 KDa

# Androgen Receptor (pY363) Antibody - Additional Information

Gene ID 367

#### **Other Names**

Androgen receptor, Dihydrotestosterone receptor, Nuclear receptor subfamily 3 group C member 4, AR, DHTR, NR3C4

#### **Dilution**

WB~~1:1000

 $E \sim N/A$ 

#### Format

0.01M PBS, pH 7.2, 0.09% (W/V) Sodium azide, Glycerol 50%

### Storage

Store at -20 °C. Stable for 12 months from date of receipt

# Androgen Receptor (pY363) Antibody - Protein Information

Name AR

Synonyms DHTR, NR3C4

#### **Function**

Steroid hormone receptors are ligand-activated transcription factors that regulate eukaryotic gene expression and affect cellular proliferation and differentiation in target tissues (PubMed:<a href="http://www.uniprot.org/citations/19022849" target="\_blank">19022849</a>). Transcription factor activity is modulated by bound coactivator and corepressor proteins like ZBTB7A that recruits NCOR1 and NCOR2 to the androgen response elements/ARE on target genes, negatively regulating androgen receptor signaling and androgen-induced cell proliferation (PubMed:<a href="http://www.uniprot.org/citations/20812024" target="\_blank">20812024</a>). Transcription activation is also down-regulated by NROB2. Activated, but not phosphorylated, by HIPK3 and ZIPK/DAPK3.



# **Cellular Location**

Nucleus. Cytoplasm Note=Detected at the promoter of target genes (PubMed:25091737) Predominantly cytoplasmic in unligated form but translocates to the nucleus upon ligand-binding. Can also translocate to the nucleus in unligated form in the presence of RACK1.

#### **Tissue Location**

[Isoform 2]: Mainly expressed in heart and skeletal muscle.

### Androgen Receptor (pY363) Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# Androgen Receptor (pY363) Antibody - Images

# Androgen Receptor (pY363) Antibody - Background

Steroid hormone receptors are ligand-activated transcription factors that regulate eukaryotic gene expression and affect cellular proliferation and differentiation in target tissues. Transcription factor activity is modulated by bound coactivator and corepressor proteins. Transcription activation is down-regulated by NROB2. Activated, but not phosphorylated, by HIPK3 and ZIPK/DAPK3.

### Androgen Receptor (pY363) Antibody - References

Lubahn D.B., et al. Mol. Endocrinol. 2:1265-1275(1988). Chang C., et al. Proc. Natl. Acad. Sci. U.S.A. 85:7211-7215(1988). Tilley W.D., et al. Proc. Natl. Acad. Sci. U.S.A. 86:327-331(1989). Lubahn D.B., et al. Proc. Natl. Acad. Sci. U.S.A. 86:9534-9538(1989). Govindan M.V., et al. Mol. Endocrinol. 4:417-427(1990).