

## C12orf53 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP5185a

## **Specification**

## C12orf53 Antibody (N-term) - Product Information

Application WB, IHC-P, FC,E

Primary Accession <u>Q8IYI0</u>

Other Accession <u>Q5U2P6</u>, <u>Q6P1B3</u>, <u>Q95K74</u>

Reactivity
Predicted
Host
Clonality
Isotype

Human, Mouse
Monkey, Rat
Rabbit
Polyclonal
Rabbit IgG

Calculated MW 30076
Antigen Region 75-103

# C12orf53 Antibody (N-term) - Additional Information

### Gene ID 196500

### **Other Names**

PILR alpha-associated neural protein, PILR-associating neural protein, Paired immunoglobin-like type 2 receptor-associating neural protein, PIANP, C12orf53, PANP

## Target/Specificity

This C12orf53 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 75-103 amino acids from the N-terminal region of human C12orf53.

### **Dilution**

WB~~1:1000 IHC-P~~1:50~100 FC~~1:10~50

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

## **Precautions**

C12orf53 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

### C12orf53 Antibody (N-term) - Protein Information



**Name PIANP** 

Synonyms C12orf53, PANP

**Function** Acts as a ligand for PILRA in neural tissues, where it may be involved in immune regulation.

### **Cellular Location**

Membrane; Single-pass type I membrane protein

## **Tissue Location**


Mainly expressed in adult brain and cerebellum. Weaker expression in fetal brain and virtually no expression in spleen, heart, kidney, liver and dorsal ganglion relative to brain

# C12orf53 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# C12orf53 Antibody (N-term) - Images




Western blot analysis of C12orf53 Antibody (N-term) (Cat. #AP5185a) in mouse liver tissue lysates (35ug/lane).C12orf53 (arrow) was detected using the purified Pab.





C12orf53 Antibody (N-term) (Cat. #AP5185a) IHC analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the C12orf53 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



C12orf53 Antibody (N-term) (Cat. #AP5185a) flow cytometric analysis of Ramos cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

# C12orf53 Antibody (N-term) - Background

The function of this protein has not been specifically defined.

# C12orf53 Antibody (N-term) - References

Clark, H.F., et al. Genome Res. 13(10):2265-2270(2003)