

ZBTB5 Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP5302a**Specification**

ZBTB5 Antibody (N-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	O15062
Other Accession	NP_055687.1
Reactivity	Human, Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	74278
Antigen Region	178-206

ZBTB5 Antibody (N-term) - Additional Information**Gene ID** 9925**Other Names**

Zinc finger and BTB domain-containing protein 5, ZBTB5, KIAA0354

Target/Specificity

This ZBTB5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 178-206 amino acids from the N-terminal region of human ZBTB5.

Dilution

WB~~1:1000

IHC-P~~1:50~100

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZBTB5 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZBTB5 Antibody (N-term) - Protein Information**Name** ZBTB5**Synonyms** KIAA0354

Function May be involved in transcriptional regulation.


Cellular Location
Nucleus.

ZBTB5 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZBTB5 Antibody (N-term) - Images



Western blot analysis of ZBTB5 Antibody (N-term) (Cat. #AP5302a) in mouse testis tissue lysates (35ug/lane). ZBTB5 (arrow) was detected using the purified Pab.



ZBTB5 Antibody (N-term) (Cat. #AP5302a) immunohistochemistry analysis in formalin fixed and paraffin embedded human testis tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the ZBTB5 Antibody (N-term) for

immunohistochemistry. Clinical relevance has not been evaluated.

ZBTB5 Antibody (N-term) - Background

ZBTB5 may be involved in transcriptional regulation.

ZBTB5 Antibody (N-term) - References

Koh, D.I., et al. J. Biol. Chem. 284(30):19856-19866(2009)