

Anti-Fatty Acid Synthase Antibody

Affinity purified Mouse Anti Human Monoclonal Antibody Catalog # AP53449

Specification

Anti-Fatty Acid Synthase Antibody - Product Information

Application WB, IF, IP
Primary Accession P49327
Other Accession NM_004104

Reactivity Human, Mouse, Rat, Monkey

Host Mouse
Clonality Monoclonal
Isotype IgG1

Immunogena synthetic peptidePurificationAffinity purified

Calculated MW 273 KDa

Anti-Fatty Acid Synthase Antibody - Additional Information

Gene ID 2194

Other Names

[Acyl-carrier-protein] S acetyltransferase; [Acyl-carrier-protein] S malonyltransferase; 3-hydroxypalmitoyl-[acyl-carrier-protein] dehydratase; 3-oxoacyl-[acyl-carrier-protein] reductase; 3-oxoacyl-[acyl-carrier-protein] synthase; Enoyl-[acyl-carrier-protein] reductase; FAS; FAS_HUMAN; FASN; Fatty acid synthase; MGC14367; MGC15706; OA 519; Oleoyl-[acyl-carrier-protein] hydrolase; SDR27X1; Short chain dehydrogenase/reductase family 27X member 1.

Dilution

WB~~1:1000 IF~~1:50~200 IP~~N/A

Format

Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Storage

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.


Anti-Fatty Acid Synthase Antibody - Protein Information

Name FASN

Synonyms FAS

Function

Fatty acid synthetase is a multifunctional enzyme that catalyzes the de novo biosynthesis of long-chain saturated fatty acids starting from acetyl-CoA and malonyl-CoA in the presence of





Tel: 858.875.1900 Fax: 858.875.1999

NADPH. This multifunctional protein contains 7 catalytic activities and a site for the binding of the prosthetic group 4'-phosphopantetheine of the acyl carrier protein ([ACP]) domain.

Cellular Location

Cytoplasm. Melanosome. Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV

Tissue Location


Ubiquitous. Prominent expression in brain, lung, liver and mammary gland.

Anti-Fatty Acid Synthase Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-Fatty Acid Synthase Antibody - Images




Immunoprecipitation analysis of CHO-K1 cell lysates using Fatty Acid Synthase mouse mAb.





Western blot detection of Fatty Acid Synthase in Hela,C6,3T3,CHO-K1 and MCF7 cell lysates using Fatty Acid Synthase mouse mAb(dilution 1:500).Predicted band size:273kDa.Observed band size:273kDa.



Immunocytochemistry staining of Hela cells fixed with 4% Paraformaldehyde and using anti-Fatty Acid Synthase mouse mAb (dilution 1:200).

Anti-Fatty Acid Synthase Antibody - Background

Fatty acid synthetase catalyzes the formation of long-chain fatty acids from acetyl-CoA, malonyl-CoA and NADPH. This multifunctional protein has 7 catalytic activities and an acyl carrier protein.