

Anti-Neuroligin 1 Antibody

Catalog # AP53827

Specification

Anti-Neuroligin 1 Antibody - Product Information

Application WB
Primary Accession Q8N2Q7

Reactivity
Host
Clonality
Human, Mouse, Rat
Rabbit
Polyclonal

Calculated MW 96368

Anti-Neuroligin 1 Antibody - Additional Information

Gene ID 22871

Other Names

KIAA1070; Neuroligin-1

Target/Specificity

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human Neuroligin 1. The exact sequence is proprietary.

Dilution

WB~~1/500 - 1/1000

Format

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage

Store at -20 °C.Stable for 12 months from date of receipt

Anti-Neuroligin 1 Antibody - Protein Information

Name NLGN1

Synonyms KIAA1070

Function

Cell surface protein involved in cell-cell-interactions via its interactions with neurexin family members. Plays a role in synapse function and synaptic signal transmission, and probably mediates its effects by recruiting and clustering other synaptic proteins. May promote the initial formation of synapses, but is not essential for this. In vitro, triggers the de novo formation of presynaptic structures. May be involved in specification of excitatory synapses. Required to maintain wakefulness quality and normal synchrony of cerebral cortex activity during wakefulness and sleep (By similarity). The protein is involved in nervous system development.



Cellular Location

Cell membrane; Single-pass type I membrane protein {ECO:0000250|UniProtKB:Q62765} Postsynaptic density {ECO:0000250|UniProtKB:Q62765}. Synaptic cleft {ECO:0000250|UniProtKB:Q62765}. Synaptic cell membrane {ECO:0000250|UniProtKB:Q62765}. Note=Enriched in synaptic plasma membranes and clustered in synaptic clefts and postsynaptic densities Colocalized with DLG4/PSD-95 and GRIN1/NMDAR1 {ECO:0000250|UniProtKB:Q62765}

Tissue Location


Expressed in the blood vessel walls (at protein level). Highly expressed in brain through prenatal stages, and at lower levels in pancreas islet beta cells.

Anti-Neuroligin 1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

Anti-Neuroligin 1 Antibody - Images



Western blot analysis of Neuroligin 1 expression in HEK293T (A), Raw264.7 (B), PC12 (C) whole cell lysates.

Anti-Neuroligin 1 Antibody - Background

Rabbit polyclonal antibody to Neuroligin 1