

**Anti-CaMK2 alpha/beta/delta (pT305) Antibody**  
**Catalog # AP54004****Specification****Anti-CaMK2 alpha/beta/delta (pT305) Antibody - Product Information**

Application	WB, IHC
Primary Accession	<a href="#">Q9UOM7</a>
Other Accession	<a href="#">O13554</a> , <a href="#">O13557</a>
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54088

**Anti-CaMK2 alpha/beta/delta (pT305) Antibody - Additional Information****Gene ID 815****Other Names**

CAMK2A; CAMKA; KIAA0968; Calcium/calmodulin-dependent protein kinase type II subunit alpha; CaM kinase II subunit alpha; CaMK-II subunit alpha; CAMK2B; CAM2; CAMK2; CAMKB; Calcium/calmodulin-dependent protein kinase type II subunit beta; CaM kinase II subunit beta; CaMK-II subunit beta; CAMK2D; CAMKD; Calcium/calmodulin-dependent protein kinase type II subunit delta; CaM kinase II subunit delta; CaMK-II subunit delta

**Target/Specificity**

Recognizes endogenous levels of CaMK2 alpha/beta/delta (pT305) protein.

**Dilution**

WB~~1/500 - 1/1000

IHC~~1:100~500

**Format**

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

**Storage**

Store at -20 °C. Stable for 12 months from date of receipt

**Anti-CaMK2 alpha/beta/delta (pT305) Antibody - Protein Information****Name** CAMK2A**Synonyms** CAMKA, KIAA0968**Function**

Calcium/calmodulin-dependent protein kinase that functions autonomously after Ca(2+)/calmodulin-binding and autophosphorylation, and is involved in various processes, such as synaptic plasticity, neurotransmitter release and long-term potentiation (PubMed:<a

Member of the NMDAR signaling complex in excitatory synapses, it regulates NMDAR-dependent potentiation of the AMPAR and therefore excitatory synaptic transmission (By similarity). Regulates dendritic spine development (PubMed:<a href="http://www.uniprot.org/citations/28130356" target="\_blank">28130356</a>). Also regulates the migration of developing neurons (PubMed:<a href="http://www.uniprot.org/citations/29100089" target="\_blank">29100089</a>). Phosphorylates the transcription factor FOXO3 to activate its transcriptional activity (PubMed:<a href="http://www.uniprot.org/citations/23805378" target="\_blank">23805378</a>). Phosphorylates the transcription factor ETS1 in response to calcium signaling, thereby decreasing ETS1 affinity for DNA (By similarity). In response to interferon-gamma (IFN-gamma) stimulation, catalyzes phosphorylation of STAT1, stimulating the JAK- STAT signaling pathway (PubMed:<a href="http://www.uniprot.org/citations/11972023" target="\_blank">11972023</a>). In response to interferon- beta (IFN-beta) stimulation, stimulates the JAK-STAT signaling pathway (PubMed:<a href="http://www.uniprot.org/citations/35568036" target="\_blank">35568036</a>). Acts as a negative regulator of 2- arachidonoylglycerol (2-AG)-mediated synaptic signaling via modulation of DAGLA activity (By similarity).

### Cellular Location


Synapse {ECO:0000250|UniProtKB:P11275}. Postsynaptic density {ECO:0000250|UniProtKB:P11275}. Cell projection, dendritic spine. Cell projection, dendrite. Note=Postsynaptic lipid rafts {ECO:0000250|UniProtKB:P11275}

### Anti-CaMK2 alpha/beta/delta (pT305) Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### Anti-CaMK2 alpha/beta/delta (pT305) Antibody - Images



Western blot analysis of CaMK2 alpha/beta/delta (pT305) expression in HEK293T (A), U87MG (B), A549 (C), rat brain (D) whole cell lysates.



Immunohistochemical analysis of CaMK2 alpha/beta/delta (pT305) staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

**Anti-CaMK2 alpha/beta/delta (pT305) Antibody - Background**

Rabbit polyclonal antibody to CaMK2 alpha/beta/delta (pT305)