

Anti-SOX8 Antibody

Catalog # AP54062

Specification

Anti-SOX8 Antibody - Product Information

Application WB, IHC Primary Accession P57073

Other Accession
Reactivity
Host
P48436, Q9H6I2, P35713
Human, Mouse, Rat
Rabbit

Clonality Polyclonal Calculated MW 47314

Anti-SOX8 Antibody - Additional Information

Gene ID 30812

Other Names

SOX8; Transcription factor SOX-8; SOX9; Transcription factor SOX-9; SOX17; Transcription factor SOX-17; SOX18; Transcription factor SOX-18

Target/Specificity

KLH-conjugated synthetic peptide encompassing a sequence within the center region of human SOX8. The exact sequence is proprietary.

Dilution

WB~~1/500 - 1/1000 IHC~~1:100~500

Format

Liquid in 0.42% Potassium phosphate, 0.87% Sodium chloride, pH 7.3, 30% glycerol, and 0.09% (W/V) sodium azide.

Storage

Store at -20 °C. Stable for 12 months from date of receipt

Anti-SOX8 Antibody - Protein Information

Name SOX8 {ECO:0000303|Ref.1, ECO:0000312|HGNC:HGNC:11203}

Function

Transcription factor that may play a role in central nervous system, limb and facial development. May be involved in male sex determination. Binds the consensus motif 5'-[AT][AT]CAA[AT]G-3' (By similarity).

Cellular Location

Nucleus {ECO:0000255|PROSITE-ProRule:PRU00267}.




Anti-SOX8 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

Anti-SOX8 Antibody - Images



Western blot analysis of SOX8 expression in HEK293T (A), HCT116 (B), HepG2 (C), PC12 (D), CT26 (E) whole cell lysates.



Immunohistochemical analysis of SOX8 staining in human brain formalin fixed paraffin embedded tissue section. The section was pre-treated using heat mediated antigen retrieval with sodium citrate buffer (pH 6.0). The section was then incubated with the antibody at room temperature and detected using an HRP conjugated compact polymer system. DAB was used as the chromogen. The section was then counterstained with haematoxylin and mounted with DPX.

Anti-SOX8 Antibody - Background

Rabbit polyclonal antibody to SOX8