

FABP6 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP54325

Specification

FABP6 Polyclonal Antibody - Product Information

Application
Primary Accession
Reactivity
Host
Clonality
Calculated MW

WB, IHC-P, IHC-F, IF, ICC, E <u>P51161</u> Rat Rabbit Polyclonal 14371

FABP6 Polyclonal Antibody - Additional Information

Gene ID 2172

Other Names

Gastrotropin, GT, Fatty acid-binding protein 6, Ileal lipid-binding protein, ILBP, Intestinal 15 kDa protein, I-15P, Intestinal bile acid-binding protein, I-BABP, FABP6, ILBP, ILLBP

Dilution WB~~1:1000<br \>IHC-P~~N/A<br \>IHC-F~~N/A<br \>IF~~1:50~200<br \>ICC~~N/A<br \>ICC~~N/A<br \>ICC~~N

Format 0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

FABP6 Polyclonal Antibody - Protein Information

Name FABP6

Synonyms ILBP, ILLBP

Function

Binds to bile acids and is involved in enterohepatic bile acid metabolism. Required for efficient apical to basolateral transport of conjugated bile acids in ileal enterocytes (By similarity). In vitro binds to bile acids in the order: deoxycholic acid > cholic acid > chenodeoxycholic acid and respective BA conjugation modifies affinities in the order taurine-conjugated > glycine-conjugated > unconjugated bile acids. Stimulates gastric acid and pepsinogen secretion (By similarity).



Cellular Location

[Isoform 1]: Cytoplasm {ECO:0000250|UniProtKB:P80020}. Membrane; Peripheral membrane protein {ECO:0000250|UniProtKB:P50119}; Cytoplasmic side {ECO:0000250|UniProtKB:P50119}

Tissue Location

Isoform 1 is expressed in the jejunum, ileum, cecum and ascending colon intestine. Isoform 2 is xpressed in the gallbladder, duodenum, jejunum, ileum, cecum, ascending, transverse and descending colon, sigmoid colon and rectum. Isoform 2 is expressed in colorectal adenocarcinomas and their adjacent normal mucosa (at protein level).

FABP6 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

FABP6 Polyclonal Antibody - Images