

MYRIP Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP54352

Specification

MYRIP Polyclonal Antibody - Product Information

Application	WB, IHC-P, IHC-F, IF, ICC, E
Primary Accession	Q8NFW9
Reactivity	Rat, Pig, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	95 KDa
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human MYRIP/SLAC2-C
Epitope Specificity	101-200/859
Isotype	IgG
Purity	affinity purified by Protein A
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Cytoplasm. In pre- and post-synaptic areas in photoreceptor cells and in the basal microvilli of retinal pigment epithelium cells. Associated with melanosomes. Colocalizes with actin filaments. Contains 1 FYVE-type zinc finger. Contains 1 RabBD (Rab-binding) domain. Binds MYO5A, MYO7A and F-actin. Binds RAB27A that has been activated by GTP-binding via its N-terminus. Interacts with PRKAR2A. Interacts with components of the exocyst complex, including EXOC3 and EXOC4.
SIMILARITY	
SUBUNIT	
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Background Descriptions

Slac2-c is a Rab effector protein that is expressed in a variety of tissues including brain, heart, skin and liver. Found in the basal microvilli of retinal pigment cells and in pre- and post-synaptic areas in photoreceptor cells , Slac2-c is involved in melanosome transport and functions to link Rab 27a with the actin-based motor proteins Myosin Va and Myosin VIIa. Once linked, the Myosins are able to transport Rab 27a to retinal melanosomes, thereby linking the actin cytoskeleton with the melanosome membrane. Slac2-c contains one FYVE-type zinc finger and one Rab-binding domain and is able to bind actin-like proteins through its conserved C-terminal region. Additionally, Slac2-c is thought to regulate the final steps of insulin exocytosis by mediating the interaction of secretory granules with the cortical actin cytoskeleton.

MYRIP Polyclonal Antibody - Additional Information

Gene ID 25924

Other Names

Rab effector MyRIP, Exophilin-8, Myosin-VIIa- and Rab-interacting protein, Synaptotagmin-like protein lacking C2 domains C, SlaC2-c, Slp homolog lacking C2 domains c, MYRIP, SLAC2C

Target/Specificity

Detected in brain, skin, heart, adrenal medulla, pancreas, intestine, liver, kidney, muscle and testis.

Dilution

WB~~1:1000<br \>IHC-P~~N/A<br \>IHC-F~~N/A<br \>IF~~1:50~200<br \>ICC~~N/A<br \>E~~N/A

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

MYRIP Polyclonal Antibody - Protein Information

Name MYRIP

Synonyms SLAC2C

Function

Rab effector protein involved in melanosome transport. Serves as link between melanosome-bound RAB27A and the motor proteins MYO5A and MYO7A. May link RAB27A-containing vesicles to actin filaments. Functions as a protein kinase A-anchoring protein (AKAP). May act as a scaffolding protein that links PKA to components of the exocytosis machinery, thus facilitating exocytosis, including insulin release (By similarity).

Cellular Location

Cytoplasm {ECO:0000250|UniProtKB:Q8K3I4}. Cytoplasm, perinuclear region {ECO:0000250|UniProtKB:Q7TNY7} Cytoplasmic vesicle, secretory vesicle {ECO:0000250|UniProtKB:Q7TNY7} Note=In presynaptic and postsynaptic areas in photoreceptor cells and in the basal microvilli of retinal pigment epithelium cells. Associated with melanosomes. Colocalizes with actin filaments {ECO:0000250|UniProtKB:Q7TNY7}

Tissue Location

Detected in brain, skin, heart, adrenal medulla, pancreas, intestine, liver, kidney, muscle and testis

MYRIP Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)

- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MYRIP Polyclonal Antibody - Images