

PSCDBP Polyclonal Antibody Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP54358

Specification

PSCDBP Polyclonal Antibody - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW WB, IHC-P, IHC-F, IF, ICC, E <u>O60759</u> Rat, Dog, Bovine Rabbit Polyclonal 40010

PSCDBP Polyclonal Antibody - Additional Information

Gene ID 9595

Other Names

Cytohesin-interacting protein, Cytohesin binder and regulator, CYBR, Cytohesin-associated scaffolding protein, CASP, Cytohesin-binding protein HE, Cbp HE, Pleckstrin homology Sec7 and coiled-coil domains-binding protein, CYTIP, PSCDBP

Dilution

WB~~1:1000<br \>IHC-P~~N/A<br \>IHC-F~~N/A<br \>IF~~1:50~200<br \>ICC~~N/A<br \>E~~N/A

Format 0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

PSCDBP Polyclonal Antibody - Protein Information

Name CYTIP

Synonyms PSCDBP

Function

By its binding to cytohesin-1 (CYTH1), it modifies activation of ARFs by CYTH1 and its precise function may be to sequester CYTH1 in the cytoplasm.

Cellular Location

Cytoplasm. Early endosome. Note=Recruited from the cytosol to endosomes by SNX27



Tissue Location

Expressed in lymph nodes, thymus, spleen, lung, peripheral blood leukocytes and bone marrow

PSCDBP Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

PSCDBP Polyclonal Antibody - Images