

NENF Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP54525

Specification

NENF Polyclonal Antibody - Product Information

Application Primary Accession Reactivity

Host Clonality

Calculated MW

WB, IHC-P, IHC-F, IF, ICC, E

<u>09UMX5</u>

Rat, Pig, Dog, Bovine

Rabbit Polyclonal 18856

NENF Polyclonal Antibody - Additional Information

Gene ID 29937

Other Names

Neudesin, Cell immortalization-related protein 2, Neuron-derived neurotrophic factor, Protein GIG47, Secreted protein of unknown function, SPUF protein, NENF (HGNC:30384), CIR2, SPUF

Dilution

WB~~1:1000<br \><span class
="dilution_IHC-P">IHC-P~~N/A<br \><span class
="dilution_IHC-F">IHC-F~~N/A<br \><span class
="dilution_IF">IF~~1:50~200<br \>ICC~~N/A<br \>ICC~~N/A<br \>ICC~~N/A<br \>ICC~~N/A

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

NENF Polyclonal Antibody - Protein Information

Name NENF (HGNC:30384)

Synonyms CIR2, SPUF

Function

Acts as a neurotrophic factor in postnatal mature neurons enhancing neuronal survival (PubMed:31536960). Promotes cell proliferation and neurogenesis in undifferentiated neural progenitor cells at the embryonic stage and inhibits differentiation of astrocytes (By similarity). Its neurotrophic activity is exerted via MAPK1/ERK2, MAPK3/ERK1 and AKT1/AKT pathways (By similarity). Neurotrophic activity is enhanced by binding to heme (By similarity). Also acts as an anorexigenic neurotrophic factor that contributes to energy balance (By similarity).



Cellular Location

Secreted, extracellular space. Mitochondrion. Endoplasmic reticulum. Note=Localized to mitochondria and endoplasmic reticulum by PINK1 and PARK7

Tissue Location

Ubiquitously expressed with high expression in heart. Over-expressed in various tumors including carcinomas of the uterine cervix, lymphoma, colon, lung, skin and leukemia, as well as carcinoma of the breast.

NENF Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

NENF Polyclonal Antibody - Images