

CTRP5 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP54606**Specification**

CTRP5 Polyclonal Antibody - Product Information

Application	IF
Primary Accession	O9BXJ0
Reactivity	Rat, Pig, Dog, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	25298

CTRP5 Polyclonal Antibody - Additional Information**Gene ID** 114902**Other Names**

Complement C1q tumor necrosis factor-related protein 5, C1QTNF5, CTRP5

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

CTRP5 Polyclonal Antibody - Protein Information**Name** C1QTNF5**Synonyms** CTRP5**Cellular Location**

Secreted.


CTRP5 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)

- [Flow Cytometry](#)
- [Cell Culture](#)

CTRP5 Polyclonal Antibody - Images



Paraformaldehyde-fixed, paraffin embedded (Mouse lung); Antigen retrieval by boiling in sodium citrate buffer (pH6.0) for 15min; Blocking buffer (normal goat serum) at 37°C for 30min; Antibody incubation with (CTRP5) Polyclonal Antibody, Unconjugated (bs-11717R) at 1:200 overnight at 4°C, followed by a conjugated Goat Anti-Rabbit IgG antibody (bs-0295G-FITC) for 90 minutes, and DAPI for nuclei staining.