

**DNER Polyclonal Antibody**  
**Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP54729****Specification**

---

**DNER Polyclonal Antibody - Product Information**

|                   |                          |
|-------------------|--------------------------|
| Application       | IHC-P, IHC-F, IF, ICC, E |
| Primary Accession | <a href="#">Q8NFT8</a>   |
| Reactivity        | Rat, Dog, Bovine         |
| Host              | Rabbit                   |
| Clonality         | Polyclonal               |
| Calculated MW     | 78475                    |

**DNER Polyclonal Antibody - Additional Information****Gene ID** 92737**Other Names**

Delta and Notch-like epidermal growth factor-related receptor, DNER, BET

**Dilution**

IHC-P ~ ~ N/A  
IHC-F ~ ~ N/A  
IF ~ ~ 1:50 ~ 200  
ICC ~ ~ N/A  
E ~ ~ N/A

**Format**

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

**Storage**

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

**DNER Polyclonal Antibody - Protein Information****Name** DNER**Synonyms** BET**Function**

Activator of the NOTCH1 pathway. May mediate neuron-glia interaction during astrocytogenesis (By similarity).

**Cellular Location**

Cell membrane; Single-pass type I membrane protein. Note=Present on the membrane of dendrites and cell bodies but excluded from axonal membrane. Also found in early endosomes in the somatodendritic region (By similarity).

**Tissue Location**

Expressed in brain, spinal cord and adrenal gland.

**DNER Polyclonal Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**DNER Polyclonal Antibody - Images**