

ZNF202 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP54976

Specification

ZNF202 Polyclonal Antibody - Product Information

Application
Primary Accession
Reactivity
Host
Classifity
Relysions
Reactivity
Relysions
Relysion

Clonality Polyclonal Calculated MW 74720

ZNF202 Polyclonal Antibody - Additional Information

Gene ID 7753

Other Names

Zinc finger protein 202, Zinc finger protein with KRAB and SCAN domains 10, ZNF202, ZKSCAN10

Dilution

IHC-P~~N/A<br \> <span class
="dilution_IHC-F">IHC-F~~N/A <br \> <span class
="dilution_IF">IF~~1:50~200 <br \> ICC~~N/A

Format

0.01M TBS(pH7.4), 0.09% (W/V) sodium azide and 50% Glyce

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

ZNF202 Polyclonal Antibody - Protein Information

Name ZNF202

Synonyms ZKSCAN10

Function

Transcriptional repressor that binds to elements found predominantly in genes that participate in lipid metabolism. Among its targets are structural components of lipoprotein particles (apolipoproteins AIV, CIII, and E), enzymes involved in lipid processing (lipoprotein lipase, lecithin cholesteryl ester transferase), transporters involved in lipid homeostasis (ABCA1, ABCG1), and several genes involved in processes related to energy metabolism and vascular disease.

Cellular Location

Nucleus.



Tissue Location

Highly expressed in testis. Also expressed in breast carcinoma cell lines

ZNF202 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

ZNF202 Polyclonal Antibody - Images