

ZNF37A Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP54983**Specification****ZNF37A Polyclonal Antibody - Product Information**

Application	WB, IHC-P, IHC-F, IF, ICC
Primary Accession	P17032
Host	Rabbit
Clonality	Polyclonal
Calculated MW	65 KDa
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human ZNF37A
Epitope Specificity	81-180/561
Isotype	IgG
Purity	
affinity purified by Protein A	
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Nucleus.
SIMILARITY	Belongs to the krueppel C2H2-type zinc-finger protein family. Contains 12 C2H2-type zinc fingers. Contains 1 KRAB domain.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

ZNF37A Polyclonal Antibody - Additional Information**Gene ID** 7587**Other Names**

Zinc finger protein 37A, Zinc finger protein KOX21, ZNF37A, KOX21, ZNF37

Dilution

WB~1:1000<br \>IHC-P~N/A<br \>IHC-F~N/A<br \>IF~1:50~200<br \>ICC~N/A

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH 7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

ZNF37A Polyclonal Antibody - Protein Information

Name ZNF37A

Synonyms KOX21, ZNF37

Function

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF37A Polyclonal Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF37A Polyclonal Antibody - Images



Sample: A549 human Cell Lysate at 40 ug
Primary: Anti-ZNF37A (bs-12808R) at 1/300 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 65 kD
Observed band size: 65 kD



Sample: HeLa(human) Cell Lysate at 40 ug
Primary: Anti-ZNF37A (bs-12808R) at 1/300 dilution
Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution
Predicted band size: 65 kD
Observed band size: 65 kD