

SUHW1/ZNF280 Polyclonal Antibody

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP54998

Specification

SUHW1/ZNF280 Polyclonal Antibody - Product Information

WB, IHC-P, IHC-F, IF, ICC, E Application

Primary Accession P59817 Host **Rabbit** Clonality **Polyclonal** Calculated MW 61 KDa Physical State Liquid

KLH conjugated synthetic peptide derived Immunogen

from human SUHW1/ZNF280

Epitope Specificity 1-100/542

Isotype laG

Purity

affinity purified by Protein A

Buffer 0.01M TBS (pH7.4) with 1% BSA, 0.02%

Proclin300 and 50% Glycerol.

SUBCELLULAR LOCATION Nucleus.

SIMILARITY Contains 4 C2H2-type zinc fingers. Important Note This product as supplied is intended for research use only, not for use in human,

therapeutic or diagnostic applications.

Background Descriptions

This gene encodes a zinc finger protein. The encoded protein contains 4 C2H2-type zinc fingers, which are commonly found in transcription factors. A variety of functions may be performed by this type of zinc finger protein, including the binding of DNA or RNA. [provided by RefSeq, Apr 2014]

SUHW1/ZNF280 Polyclonal Antibody - Additional Information

Gene ID 129025

Other Names

Zinc finger protein 280A, 3'OY11.1, Suppressor of hairy wing homolog 1, Zinc finger protein 636, ZNF280A, SUHW1, ZNF280, ZNF636

Dilution

WB~~1:1000<br \><span class</pre> ="dilution IHC-P">IHC-P~~N/A<br \>IHC-F~~N/A<br \>IF~\sim1:50\sim200
span class = "dilution ICC">ICC~\sim N/A
br$ \>E~~N/A

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH



7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

SUHW1/ZNF280 Polyclonal Antibody - Protein Information

Name ZNF280A

Synonyms SUHW1, ZNF280, ZNF636

Function

May function as a transcription factor.

Cellular Location


Nucleus.

SUHW1/ZNF280 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

SUHW1/ZNF280 Polyclonal Antibody - Images



Sample:

PANC-1(Human) Cell Lysate at 30 ug TT(Human) Cell Lysate at 30 ug


Primary: Anti-ZNF280 (bs-12839R) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 61 kD



Observed band size: 63 kD




Sample:

293T(Human) Cell Lysate at 30 ug

Primary: Anti-ZNF280 (bs-12839R) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 61 kD Observed band size: 63 kD



Sample:

Hcclm3(Human) Cell Lysate at 30 ug

Primary: Anti-ZNF280 (bs-12839R) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 61 kD Observed band size: 63 kD