

SUHW1/ZNF280 Polyclonal Antibody
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP54998**Specification****SUHW1/ZNF280 Polyclonal Antibody - Product Information**

Application	WB, IHC-P, IHC-F, IF, ICC, E
Primary Accession	P59817
Host	Rabbit
Clonality	Polyclonal
Calculated MW	61 KDa
Physical State	Liquid
Immunogen	KLH conjugated synthetic peptide derived from human SUHW1/ZNF280
Epitope Specificity	1-100/542
Isotype	IgG
Purity	
affinity purified by Protein A	
Buffer	0.01M TBS (pH7.4) with 1% BSA, 0.02% Proclin300 and 50% Glycerol.
SUBCELLULAR LOCATION	Nucleus.
SIMILARITY	Contains 4 C2H2-type zinc fingers.
Important Note	This product as supplied is intended for research use only, not for use in human, therapeutic or diagnostic applications.

Background Descriptions

This gene encodes a zinc finger protein. The encoded protein contains 4 C2H2-type zinc fingers, which are commonly found in transcription factors. A variety of functions may be performed by this type of zinc finger protein, including the binding of DNA or RNA. [provided by RefSeq, Apr 2014]

SUHW1/ZNF280 Polyclonal Antibody - Additional Information

Gene ID 129025

Other Names

Zinc finger protein 280A, 3'OY11.1, Suppressor of hairy wing homolog 1, Zinc finger protein 636, ZNF280A, SUHW1, ZNF280, ZNF636

Dilution

WB~~1:1000<br \>IHC-P~~N/A<br \>IHC-F~~N/A<br \>IF~~1:50~200<br \>ICC~~N/A<br \>E~~N/A

Storage

Store at -20 °C for one year. Avoid repeated freeze/thaw cycles. When reconstituted in sterile pH

7.4 0.01M PBS or diluent of antibody the antibody is stable for at least two weeks at 2-4 °C.

SUHW1/ZNF280 Polyclonal Antibody - Protein Information

Name ZNF280A

Synonyms SUHW1, ZNF280, ZNF636

Function

May function as a transcription factor.

Cellular Location


Nucleus.

SUHW1/ZNF280 Polyclonal Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SUHW1/ZNF280 Polyclonal Antibody - Images



Sample:

PANC-1(Human) Cell Lysate at 30 ug


TT(Human) Cell Lysate at 30 ug

Primary: Anti-ZNF280 (bs-12839R) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 61 kD

Observed band size: 63 kD



Sample:


293T(Human) Cell Lysate at 30 ug

Primary: Anti-ZNF280 (bs-12839R) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 61 kD

Observed band size: 63 kD



Sample:

Hcclm3(Human) Cell Lysate at 30 ug

Primary: Anti-ZNF280 (bs-12839R) at 1/1000 dilution

Secondary: IRDye800CW Goat Anti-Rabbit IgG at 1/20000 dilution

Predicted band size: 61 kD

Observed band size: 63 kD